



United States  
Department of  
Agriculture


Agricultural  
Marketing  
Service

TOB-FL-30


Washington, D.C.  
March 1987

# Tobacco Market Review

## Flue-Cured, 1986 Crop



# Flue-Cured Tobacco Auction Markets and Marketing Areas



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

## Contents

	<u>Page</u>
Review of the 1986 marketing season . . . . .	4
Summary of standard flue-cured tobacco grades . . . . .	5

## Tables

### Table

1. Allotted sales opportunities compared to producers' sales, 1986 crop . . . . .	6
2. Initial and final designation of the 1986 crop . . . . .	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market . . . . .	8-9
4. Movement of tobacco across state lines . . . . .	10
5. Producers' sales, value, and average price by types, 1981-86 crops . . . . .	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1981-86 crops . . . . .	11
7. Producers' sales, value, and average price by type, state, and market . . . . .	12-13
8. Gross sales, value, and average price by type, state, and market . . . . .	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market . . . . .	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1986 crop . . . . .	18
11. Season average prices and support rates by individual grades, per 100 pounds . . . . .	19-21
12. Average prices by weeks for representative grades and season averages--Type 11 . . . . .	22-23
13. Average prices by weeks for representative grades and season averages--Type 12 . . . . .	24-25
14. Average prices by weeks for representative grades and season averages--Type 13 . . . . .	26-27
15. Average prices by weeks for representative grades and season averages--Type 14 . . . . .	28
16. Warehouse charges by states, 1986 crop . . . . .	29
17. Average weight per lot, 1981-86 crops . . . . .	29
18. Tobacco received by the Stabilization Corporation, 1983-86 crops . . . . .	29
19. Percentage distribution by groups and types, 1982-86 crops . . . . .	30
20. Percentage distribution by qualities and types, 1982-86 crops . . . . .	30
21. Percentage distribution by colors and types, 1982-86 crops . . . . .	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1982-86 crops . .	31
23. Percentage distribution by grades and types, 1986 crop . . . . .	32-33
24. Percentage breakdown of marketings by selected groupings, 1986 and 1985 crops . . . . .	33
25. Percentage distribution by grades for all types, 1984-86 crops . . . . .	34-35
26. Average price by grade groups and types, 1986 and 1985 crops . . . . .	35

## **Review of the 1986 Marketing Season**

Major revisions in the tobacco program and drought conditions in some areas marked the 1986 production and marketing seasons for flue-cured tobacco. Key points in the new program were: a six percent reduction in the basic quota for 1986; sharply lower support prices; a substantial decrease in the "no net cost" fee with farmers and tobacco companies sharing the assessment equally; a "buyout" of excess Stabilization Corporation Stocks by domestic companies; and major changes in the methods used to compute both quota and support prices for future years. As a result of these changes and of other marketing factors, producers' sales were the lowest since 1941 while total value was the lowest since the 1972 crop. The severe drought conditions affected both poundage and quality of the 1986 crop. Hard hit areas were North Georgia, South Carolina, and the Old Belt markets of North Carolina and Virginia. Excess or carryover tobacco from the 1985 crop was marketed at auction during regular sales days with no special early auctions as were held in 1985.

**Sales and averages.** Producers received an average price of \$152.65 per hundred for the 1986 crop of flue-cured tobacco (auction sales including carryover tobacco). This was a decline of \$19.36 from the 1985 auction average of \$172.01. These averages do not reflect assessments or rebates (see marketing regulations for assessments).

**Grade averages.** Grade averages fairly much reflected the sharp drop in support prices, recording declines of around \$10 to \$22 in most groups. Larger declines of \$22 to \$31 occurred in the nondescript group. The practical top price was \$180, down \$16 from the 1985 figure of \$196 per hundred. Grade averages are calculated from auction sales only, including resales and carryover tobacco.

**Composition of offerings.** Weather was largely responsible for a decline in quality from the 1985 crop. Only 4 percent of sales graded good quality or better this year with 42 percent fair, 37 percent low, and 7 percent poor quality. Also, nondescript and no-grade doubled to make up 10 percent of sales. Maturity also suffered. Tobacco grading premature to mellow dropped to 46.2 percent while unripe and immature increased to 43.6 percent. Type 14 had the highest percentage of premature to mellow at 54.3 percent with Type 13 having the lowest at 38.9 percent. South Carolina appeared to be hardest hit by the drought conditions. Percentages by group were: leaf 59.3; smoking leaf 1.5; cutters 4.7; lugs 14.0; primings 10.3; nondescript 9.0; others made up 1.2 percent. The three heaviest volume grades for 1986 and their percentages were: B5K (11.7); B4K (7.4); and B4KM (5.9). Rounding out the top ten were: B5KF (5.4); P4F (4.2); B5KM (3.8); X4KM (3.5); B4KF (3.1); B6K (3.1); and N2 (2.4). These ten grades made up 50.5 percent of all 1986 sales.

**Loan rates.** Loan rates by grades for 1986 reflected an average support level of \$1.438 per pound, down 21.2 cents from the 1985 figure of \$1.650 per pound. There were no rebates for the 1986 crop. The 1987 level was announced at \$1.435 per pound by the Secretary of Agriculture in December 1986.

**Stabilization receipts.** Much less tobacco was placed under loan at 1986 auctions. Receipts totaled 55.2 million pounds or 8.4 percent of net or producer sales. This compared to 131.6 million pounds or 16.7 percent for the 1985 crop. Percentages of loan receipts by group follow:

<u>Group</u>	<u>1986</u>	<u>1985</u>
Leaf (B)	59.4	31.0
Smoking leaf (H)	1.3	1.7
Cutters (C)	5.0	30.2
Lugs (X)	25.7	31.8
Primings (P)	6.8	5.2
Mixed (M)	*	*
Nondescript (N)	1.8	0.1

\*Less than one-tenth of one percent.

**Marketing regulations.** Markets continued to operate under the grower designation plan first used in 1974. However, for 1986 growers could designate and sell only 103 percent of their effective quota instead of 110 percent. The "no net cost" assessment dropped from 25 cents per pound to 3 cents (producers and companies split the 3 cent fee). The Gramm-Rudman-Hollins budget deficit bill required a 4.3 percent reduction in loan advances and a decision was made to assess growers 1 cent per pound instead of lowering the support advance. Growers that did not contribute to the "no net cost account" were charged a penalty of 75 percent of the previous year's average market price in addition to losing price support eligibility. Growers also had to certify that any pesticides (including plant regulators, defoliants, or desiccants) used by them had been approved by the Environmental Protection Agency (EPA) and applied according to label directions, and that they had not planted a discount variety. The user fee for grading services of the Tobacco Division, USDA, remained at 55 cents per hundred pounds. The Flue-Cured Stabilization Corporation continued to deduct 1 cent per pound from the support price for overhead costs.

**Grade changes.** New grades added for the 1986 crop were: B3KK; B4KK; B5KK; B6KK; C4KK; C5LL; and X3LL. Grades dropped were: H3L; H4L; H5L; H6L; and C3KM. See page 5 for more information. Also, maturity on LL color was changed from ripe to unripe and leaf structure from open to firm.

**Preliminary 1987 quota.** The 1987 basic national marketing quota for flue-cured tobacco was set at 707.0 million pounds by the Secretary of Agriculture in December 1986. This is down 21.5 million from the 1986 basic figure of 728.5 million. Undermarketings were estimated to exceed overmarketings by 30 million pounds, making the 1987 effective quota 737.0 million pounds compared to 699.4 million for 1986. The 1987 support level of \$1.435 per pound was also announced in December, 1986.

## SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

### Key to standard grademarks for flue-cured tobacco

<u>Groups</u>	<u>Qualities</u>	<u>Color symbols</u>	<u>Combination symbols</u>
A - Wrappers	1 - Choice	L - Lemon	XL - Lug side
B - Leaf	2 - Fine	F - Orange	PO - Oxidized primings
H - Smoking leaf	3 - Good	FR - Orange red	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	R - Red	BO - Oxidized leaf or smoking leaf
X - Lugs	5 - Low	K - Variegated	GL - Thin-bodied nondescript
P - Primings	6 - Poor	KR - Variegated red or scorched	GF - Medium-bodied nondescript
M - Mixed		V - Greenish	LP - Lemon (primings side)
N - Nondescript		LL - Whitish-lemon	FP - Orange (primings side)
S - Scrap			KK - Excessively scorched
	<u>Special factor</u>	<u>Special symbol</u>	
	W - Wet	S - Slick	
	U - Unsound		
	Sand or Dirt		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

### Individual flue-cured grades

<u>2 Grades of Wrappers:</u>	<u>Leaf--Continued:</u>	<u>Cutters--Continued:</u>	<u>Lugs--Continued:</u>
A1L	B5KF	C4L	X4KV
A1F	B6KF	C5L	X3KM
<u>63 Grades of Leaf:</u>	B3KD	C4LL	X4KM
B1L	B4KD	C5LL	X4GK
B2L	B5KD	C5LP	X4G
B3L	B6KD	C1F	X5G
B4L	B4KV	C2F	
B5L	B5KV	C3F	
B6L	B6KV	C4F	
B1F	B3KM	C5F	
B2F	B4KM	C5FP	
B3F	B5KM	C4KR	
B4F	B6KM	C4V	
B5F	B3KK	C4S	
B6F	B4KK	C4KL	
B1FR	B5KK	C4KF	
B2FR	B6KK	C4KM	
B3FR	B4G	C4KK	
B4FR	B5G	C4G	
B5FR	B6G	C4GK	
B6FR	B5GR		
B1KR	B4GK		
B2KR	B5GK		
B3KR	B6GK	X1L	
B4KR	B5GG	X2L	
B5KR		X3L	
B6KR		X4L	
B3SL		X5L	
B4SL		X3LL	
B5SL		X4LL	
B6SL		X1F	
B3FL		X2F	
B4FL		X3F	
B5FL		X4F	
B6FL		X5F	
B3FR		X4FR	
B4FR		X5FR	
B5FR		X4KR	
B6FR		X3KR	
B3SR		X4KR	
B4SR		X3V	
B5SR		X4V	
B6SR		X5V	
B3KL		X3S	
B4KL		X4S	
B5KL		X4KL	
B6KL		X4KF	
B3KF			
B4KF			

### 10 Grades of Primings:

P2L
P3L
P4L
P5L
P2F
P3F
P4F
P5F
P4G
P5G

### 7 Grades of Mixed:

M4F
M5F
M4KR
M4KM
M5KM
M4GK
M5GK

### 13 Grades of Nondescript:

N1L
N1XL
N1K
N1R
N1GL
N1GF
N1KV
N1GR
N1GG
N1PO
N1XO
N1BO
N2

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested"

**Table 1.—Allotted sales opportunities compared to producers' sales, 1986 crop 1/**

Week ending	Marketing area A			Marketing area B			Marketing area C			Marketing area D			Marketing area E			Total flue-cured 2/		
	Sets of buyers opport.	Sales	Prod.	Sets of buyers opport.	Sales	Prod.	Sets of buyers opport.	Sales	Prod.	Sets of buyers opport.	Sales	Prod.	Sets of buyers opport.	Sales	Prod.			
<u>1,000 pounds</u>																		
July 31	8	8,728	5,171													8	8,728	5,171
Aug. 07	8	11,677	8,253	12	13,190	9,048	22	16,381	12,096							42	41,248	29,377
Aug. 14	8	11,678	8,766	12	17,614	12,557	22	32,827	23,132	3	3,227	2,612	11	12,316	8,235	56	77,662	55,302
Aug. 21	8	12,085	12,108	12	18,373	14,317	22	33,619	22,948	3	4,201	2,205	11	17,167	7,281	56	85,445	58,859
Aug. 28	8	12,160	11,627	12	18,397	15,696	22	33,672	25,060	3	4,201	1,620	11	17,207	5,131	56	85,637	59,134
Sep. 04	8	8,600	8,353	12	12,694	12,471	22	23,307	21,874	3	2,966	2,164	11	12,685	5,722	56	60,252	50,584
Sep. 11	8	11,372	10,972	12	16,955	16,220	22	31,068	30,184	3	3,854	2,776	11	16,905	8,081	56	80,154	68,233
Sep. 18	8	10,080	9,818	12	16,083	15,620	22	29,578	29,704	3	3,768	3,130	11	16,157	9,758	56	75,666	68,030
Sep. 25	8	9,374	5,958	12	16,674	15,001	22	30,213	29,811	3	3,743	3,603	11	16,619	14,364	56	76,623	68,737
Oct. 02	4	8,735	1,056	12	18,198	13,756	24	32,844	29,747	3	4,100	3,773	11	17,426	14,517	54	81,303	62,849
Oct. 09	Closed	12	19,249	5,769	24	33,048	22,863	3	4,466	3,441	15	20,261	15,591	54	77,024	47,664		
Oct. 16	6	14,515	2,490	24	25,684	12,097	3	3,571	3,080	15	16,158	15,494	48	59,928	33,161			
Oct. 23	Closed	8	34,303	4,563	3	4,688	2,274	15	21,653	14,511	26	60,644	21,348					
Oct. 30	3	33,846	1,133	3	4,781	2,022	15	21,603	13,056	21	60,230	16,211						
Nov. 06	1 4/	53	53	3 3/	904	904	15 3/	9,090	9,090	19	10,047	10,047						
Nov. 13	Closed	3 3/	350	350	11 3/	4,137	4,137	14	4,487	4,487								
Nov. 20	Closed	3 3/	63	663	3	663	663											
	Closed 10-02-86	Closed 10-16-86	Closed 10-27-86	Closed 11-12-86	Closed 11-18-86													

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

4/ Clean-up sale.

Table 2.—Initial and final designation of the 1986 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	6,857,679	7,628,030	Aberdeen	3,786,685	4,301,143
Blackshear	6,241,418	6,291,911	Ahoskie	4,583,905	4,911,723
Claxton	5,313,595	5,517,759	Carthage	4,942,867	4,682,304
Douglas	10,629,351	11,481,446	Clinton	11,512,874	12,420,418
Haz-Bax 2/	1,783,795	1,039,263	Dunn	4,368,615	4,551,273
Moultrie	8,977,986	9,213,381	Farmville	18,438,203	18,617,167
Nashville	7,024,346	7,754,292	Fuquay-Varina	14,113,446	14,141,380
Pelham	5,541,916	5,946,989	Goldsboro	23,519,499	24,785,728
Statesboro	1,872,869	1,834,186	Greenville	27,971,839	29,537,746
Thomasville	1,431,745	1,391,084	Kinston	27,087,008	29,781,705
Tifton	2,347,832	2,278,259	Robersonville	4,963,972	5,063,008
Val-Hira	7,238,066	7,265,975	Rocky Mount	18,612,790	18,420,617
Vidalia	7,588,993	7,800,358	Sanford	6,426,155	5,843,647
Total Georgia	72,849,591	75,442,933	Smithfield	19,329,226	20,266,723
Florida:			Wallace	6,823,657	7,598,155
High Springs	1,412,345	1,441,304	Washington	1,663,802	--
Lake City	3,945,764	3,882,109	Wendell	3,202,304	2,940,025
Live Oak	8,317,550	8,497,010	Williamston	7,605,723	8,075,107
Madison	1,206,814	1,209,222	Wilson	53,142,306	55,833,886
Total Florida	14,882,473	15,029,645	Windsor	7,363,208	8,023,308
Total area A	87,732,064	90,472,578	Total area C	269,458,084	279,795,063
Marketing area B			Marketing area D		
South Carolina:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Conway	5,612,277	5,469,308	Durham	3,619,824	3,837,049
Darlington	4,793,491	4,599,895	Henderson	9,506,627	9,709,613
Hemingway	5,741,889	5,924,704	Louisburg	6,761,179	7,546,006
Kingstree	4,623,443	4,775,563	Oxford	9,586,003	9,994,785
Lake City	21,745,040	22,615,846	Warrenton	5,008,295	5,209,692
Loris	5,361,860	5,409,796	Total area D	34,481,928	36,297,145
Mullins	25,247,410	26,679,130			
Pamplico	2,550,417	2,620,629	Marketing area E		
Timmonsville	4,394,624	4,336,034	North Carolina:	Pounds	Pounds
Total S.C.	80,070,451	82,430,905	Burl-Meb	4,981,731	5,393,495
North Carolina:			Madison	3,273,877	3,384,466
Chadbourn	6,699,677	6,688,138	Mt. Airy	8,054,498	9,340,213
Clarkton	5,120,671	5,261,387	Reidsville	12,696,282	14,747,757
Fair Bluff	2,792,766	2,956,070	Roxboro	12,149,216	13,087,849
Fairmont	18,785,006	21,102,315	Stoneville	5,602,127	6,002,803
Lumberton	10,906,944	13,112,675	Winston-Salem	25,955,415	29,744,522
Tabor City	8,008,399	8,291,262	Total N.C.	72,713,146	81,701,105
Whiteville	10,988,770	12,004,895	Virginia:	Pounds	Pounds
Total N.C.	63,302,233	69,416,742	Brookneal	2,254,243	2,215,817
Total area B	143,372,684	151,847,647	Chase City	3,486,993	4,283,992
			Clarksville	4,663,220	5,365,481
			Danville	30,398,596	35,923,178
			Kenbridge	2,356,548	2,654,603
			Lawrenceville	5,218,605	5,776,159
			Petersburg	1,945,426	2,108,046
			South Boston	11,251,365	12,570,035
			South Hill	5,722,984	6,119,638
			Total Virginia	67,297,980	77,016,949
			Total area E	140,011,126	158,718,054
			Total flue-cured	675,055,886	717,130,487

1/ Growers allowed to designate 103 percent of their effective quota.

2/ Hazlehurst and Baxley were combined for designation but continued to sell as individual markets.

Table 3.—Opening and closing dates, and number of warehouse firms by type, state, and market

States and markets	Type 11 - Old and Middle Belt flue-cured				1985			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
			Number	Number			Number	Number
Virginia:								
Brookneal	Aug. 18	Nov. 10	10	2	July 25	Oct. 28	12	3
Chase City	Aug. 13	Nov. 12	17	4	July 25	Nov. 5	20	4
Clarksville	Aug. 12	Nov. 12	22	3	July 26	Nov. 5	21	3
Danville	Aug. 12	Nov. 13 1/	52	7	July 25	Oct. 28 2/	47	8
Kenbridge	Aug. 14	Nov. 10	14	3	July 26	Oct. 30	12	3
Lawrenceville	Aug. 13	Nov. 5	20	2	July 25	Oct. 30	20	2
Petersburg	Aug. 14	Nov. 4	10	2	July 26	Oct. 28	10	2
South Boston	Aug. 12	Nov. 18	48	6	July 25	Nov. 7	49	7
South Hill	Aug. 12	Nov. 6	21	4	July 25	Oct. 31	22	4
Total Virginia			33					36
North Carolina:								
Aberdeen	Aug. 7	Oct. 22	17	2	Aug. 1	Oct. 10	14	2
Burl-Meb	Aug. 13	Nov. 4	25	2	July 25	Oct. 24	22	2
Carthage	Aug. 6	Oct. 23	21	4	July 31	Oct. 15	20	4
Durham	Aug. 13	Nov. 5	21	1	July 25	Oct. 22	27	3
Fuquay-Varina	Aug. 6	Oct. 22 1/	42	4	July 26	Oct. 10	42	4
Henderson	Aug. 12	Nov. 4	35	6	July 26	Oct. 24	37	6
Louisburg	Aug. 12	Nov. 4	25	3	July 26	Oct. 22	23	3
Madison	Aug. 14	Nov. 10	18	2	July 29	Oct. 31	16	3
Mt. Airy	Aug. 12	Nov. 6 1/	41	2	July 29	Oct. 29 2/	37	3
Oxford	Aug. 12	Nov. 12	40	5	July 25	Nov. 6	44	5
Reidsville	Aug. 12	Nov. 10	49	3	July 25	Oct. 30	46	3
Roxboro	Aug. 12	Nov. 6 1/	46	5	July 25	Oct. 31	46	5
Sanford	Aug. 6	Oct. 23	24	4	July 31	Oct. 15	22	4
Stoneville	Aug. 12	Nov. 10	31	2	July 26	Oct. 31	27	2
Warrenton	Aug. 13	Nov. 5	22	3	July 29	Oct. 23	21	3
Winston-Salem	Aug. 12	Nov. 13 1/	52	7	July 25	Oct. 29 2/	45	8
Total N.C.			55					60
Total type 11			88					96

Type 12 - Eastern North Carolina flue-cured								
North Carolina:	Aug.	Oct.	Sales days	Warehouse firms	Aug.	Oct.	Sales days	Warehouse firms
Ahoskie	Aug. 7	Oct. 23	19	2	Aug. 1	Oct. 28	22	2
Clinton	Aug. 6	Oct. 16	38	4	July 31	Oct. 17	42	4
Dunn	Aug. 7	Oct. 22	21	3	Aug. 1	Oct. 16	21	3
Farmville	Aug. 6	Oct. 21	42	4	July 31	Oct. 28	48	5
Goldsboro	Aug. 6	Oct. 22	41	6	July 31	Oct. 29	47	7
Greenville	Aug. 6	Oct. 20	40	8	July 31	Oct. 28	48	9
Kinston	Aug. 6	Oct. 14	37	5	July 31	Oct. 24	44	7
Robersonville	Aug. 7	Oct. 15	18	2	Aug. 1	Oct. 24	20	2
Rocky Mount	Aug. 6	Oct. 27	45	6	July 31	Oct. 23	44	7
Smithfield	Aug. 6	Oct. 27	43	5	July 31	Oct. 21	42	5
Wallace	Aug. 6	Oct. 15	33	4	July 25	Oct. 21	34	4
Washington 3/	Aug. 12	Aug. 12	1	1	Aug. 1	Oct. 24	13	1
Wendell	Aug. 7	Oct. 15	11	3	July 25	Oct. 22	14	3
Williamston	Aug. 6	Oct. 14	21	2	July 31	Oct. 23	28	2
Wilson	Aug. 6	Oct. 27	44	11	July 31	Oct. 28	48	11
Windsor	Aug. 6	Oct. 21	24	2	July 31	Oct. 24	27	2
Total type 12			68					74

Continued

See footnotes at end of table.

Table 3.—Opening and closing dates, and number of warehouse firms by type, state, and market—Continued

States and markets	Type 13 - South Carolina and Border North Carolina flue-cured							
	1986		1985					
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Conway	Aug. 5	Oct. 1	15	3	July 30	Oct. 10	21	3
Darlington	Aug. 7	Oct. 15	17	4	July 25	Oct. 9	17	4
Hemingway	Aug. 5	Oct. 7	17	3	July 30	Oct. 10	22	3
Kingstree	Aug. 6	Oct. 9	15	3	July 31	Oct. 15	21	3
Lake City	Aug. 5	Oct. 15	39	7	July 25	Oct. 16	44	7
Loris	Aug. 6	Oct. 6	16	3	July 31	Oct. 9	20	3
Mullins	Aug. 5	Oct. 14	38	5	July 25	Oct. 16	45	5
Pamplico	Aug. 7	Oct. 7	10	3	Aug. 5	Oct. 7	9	3
Timmonsville	Aug. 7	Oct. 14	14	2	July 25	Oct. 10	20	3
Total S.C.			33					34
North Carolina:								
Chadbourn	Aug. 5	Oct. 7	21	4	July 30	Oct. 21	34	5
Clarkton	Aug. 6	Oct. 16	18	2	July 31	Oct. 21	26	2
Fair Bluff	Aug. 7	Oct. 14	10	3	Aug. 1	Oct. 16	14	3
Fairmont	Aug. 5	Oct. 14	38	10	July 30	Oct. 17	44	11
Lumberton	Aug. 5	Oct. 16	40	5	July 30	Oct. 17	44	5
Tabor City	Aug. 5	Oct. 7	23	3	July 30	Oct. 16	32	3
Whiteville	Aug. 5	Oct. 14	38	8	July 30	Oct. 17	45	9
Total N.C.			35					38
Total type 13			68					72

Type 14 - Georgia and Florida flue-cured

Georgia:	Type 14 - Georgia and Florida flue-cured			
	Opening dates	Closing dates	Sales days	Warehouse firms
Alma	July 30	Sep. 25	21	2
Baxley	Aug. 7	Sep. 23	5	1
Blackshear	July 29	Sep. 29	19	2
Claxton	July 30	Oct. 2	18	1
Douglas	July 29	Oct. 1	35	3
Hazlehurst	Aug. 7	Sep. 23	5	1
Moultrie	July 29	Sep. 30	28	3
Nashville	July 29	Sep. 30	22	3
Pelham	July 29	Oct. 2	21	2
Statesboro	Aug. 5	Sep. 29	8	1
Thomasville	July 31	Sep. 24	6	1
Tifton	Aug. 4	Sep. 25	7	2
Val-Hira	July 29	Sep. 22	21	3
Vidalia	July 29	Oct. 2	25	2
Total Georgia			27	
Florida:				
High Springs	Aug. 4	Sep. 22	5	1
Lake City	July 30	Sep. 25	11	1
Live Oak	July 29	Sep. 24	23	2
Madison	Aug. 6	Sep. 16	4	1
Total Florida			5	
Total type 14			32	
Total 11-14			256	

1/ 1986 clean-up sales: Fuquay-Varina, NC, November 4; Roxboro, NC, November 12; Mt. Airy, NC, November 17; Winston-Salem, NC, November 19; and Danville, VA, November 19.

2/ 1985 clean-up sales: Danville, VA, November 4; Mt. Airy, NC, November 6; and Winston-Salem, NC, November 7.

3/ Washington designations after August 12 sold on the Greenville market.

**Table 4.—Movement of tobacco across state lines 1/**

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
<u>1,000 pounds</u>						
1986 Crop						
Alabama	573		573			
Florida	2,391		2,391			
Georgia	2,495	2,430				
South Carolina	7,558		377		65	
North Carolina	17,883			2,698	7,181	
Virginia	4,181				4,181	15,185
Total	35,081	2,430	3,341	2,698	11,427	15,185
1985 Crop						
Alabama	643		643			
Florida	2,925		2,925			
Georgia	2,695	2,695				
South Carolina	9,269		465		8,804	
North Carolina	22,208			6,903		15,305
Virginia	4,713				4,713	
Total	42,453	2,695	4,033	6,903	13,517	15,305

1/ Based on report of Agricultural Stabilization and Conservation Service, USDA.

**Table 5.—Producers' sales, value, and average price by types, 1981–86 crops 1/**

Type 11 - Old and Middle Belt				Type 12 Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1981	387,156,360	633,885,313	163.73	1981	367,509,749	625,370,225	170.16
1982	293,017,973	522,488,036	178.31	1982	359,483,566	648,029,733	180.27
1983	240,713,322	410,969,798	170.73	1983	271,722,424	493,636,695	181.67
1984	269,234,461	486,320,092	180.63	1984	294,025,444	532,256,203	181.02
1985 2/	236,035,250	410,828,286	174.05	1985 2/	282,592,667	481,477,931	170.38
1986	206,410,455	308,047,524	149.24	1986	238,615,344	373,392,289	156.48
Type 13 - South Carolina and Border North Carolina				Type 14 - Georgia and Florida			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1981	243,371,937	405,796,625	166.74	1981	143,762,511	234,878,993	163.38
1982	208,056,923	364,960,045	175.41	1982	126,308,316	226,452,919	179.29
1983	187,573,487	339,538,393	181.02	1983	114,688,597	204,525,226	178.33
1984	178,784,939	323,912,974	181.17	1984	103,520,376	188,610,755	182.20
1985 2/	169,220,541	291,475,175	172.25	1985	98,509,084	168,828,671	171.38
1986	132,941,036	195,965,679	147.41	1986	82,053,389	130,085,882	158.54
Types 11-14 - Total flue-cured							
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1981	1,141,800,557	1,899,931,156	166.40	1984	845,565,220	1,531,100,024	181.07
1982	986,866,778	1,761,930,733	178.54	1985 2/	786,357,542	1,352,610,063	172.01
1983 3/	814,697,830	1,448,670,112	177.82	1986	660,020,224	1,007,491,374	152.65

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Includes special carryover auctions.

3/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sale by the Stabilization Corporation in July, 1983.

**Table 6.—Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1981–86 crops 1/**

Type 11 - Old and Middle Belt

Crop	Gross			Resales		
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1981	412,798,710	675,930,013	163.74	25,642,350	163.97	6.2
1982	311,789,587	556,058,489	178.34	18,771,614	178.84	6.0
1983	259,889,183	443,774,090	170.76	19,175,861	171.07	7.4
1984	289,023,442	521,165,857	180.32	19,788,981	176.09	6.9
1985 2/	256,470,470	445,303,271	173.63	20,435,220	168.70	8.0
1986	229,545,684	341,021,184	148.56	23,135,229	142.53	10.1

Type 12 - Eastern North Carolina

1981	396,954,540	674,475,826	169.91	29,444,791	166.77	7.4
1982	384,038,067	691,188,012	179.98	24,554,501	175.77	6.4
1983	294,576,047	534,604,809	181.48	22,853,623	179.26	7.8
1984	320,040,809	578,509,121	180.76	26,015,365	177.79	8.1
1985 2/	305,189,213	518,884,166	170.02	22,596,546	165.54	7.4
1986	261,783,701	408,933,541	156.21	23,168,357	153.40	8.9

Type 13 - South Carolina and Border North Carolina

1981	266,180,894	444,251,749	166.90	22,808,957	168.60	8.6
1982	226,442,972	397,140,954	175.38	18,386,049	175.03	8.1
1983	207,437,538	375,536,577	181.04	19,864,051	181.22	9.6
1984	197,207,270	357,327,487	181.19	18,422,331	181.38	9.3
1985 2/	187,183,820	322,212,994	172.14	17,963,279	171.11	9.6
1986	148,393,367	218,790,869	147.44	15,452,331	147.71	10.4

Type 14 - Georgia and Florida

1981	158,180,639	258,751,225	163.58	14,418,128	165.57	9.1
1982	139,147,625	249,843,137	179.55	12,839,309	182.18	9.2
1983	126,933,641	226,615,315	178.53	12,245,044	180.40	9.7
1984	117,643,361	214,031,667	181.93	14,122,985	180.00	12.0
1985	113,110,887	194,167,925	171.66	14,601,803	173.54	12.9
1986	95,206,579	150,857,762	158.45	13,153,190	157.92	13.8

Types 11-14 Total flue-cured

1981	1,234,114,783	2,053,408,813	166.39	92,314,226	166.26	7.5
1982	1,061,418,251	1,894,230,592	178.46	74,551,473	177.46	7.0
1983 3/	888,836,409	1,580,530,791	177.82	74,138,579	177.86	8.3
1984	923,914,882	1,671,034,132	180.86	78,349,662	178.60	8.5
1985 2/	861,954,390	1,480,568,356	171.77	75,596,848	169.26	8.8
1986	734,929,331	1,119,603,356	152.34	74,909,107	149.66	10.2

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Includes special carryover auctions.

3/ Does not reflect 37.2 million pounds of 1982 carryover tobacco offered for sale by the Stabilization Corporation in July, 1983.

Table 7.—Producers' sales, value, and average price by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured			1985 crop 2/		
	1986 crop		Average price	Sales	Value	Average price
	Sales Pounds	Value Dollars	Dollars	Pounds	Dollars	Dollars
Virginia:						
Brookneal	1,970,140	2,797,048	141.97	2,645,381	4,568,460	172.70
Chase City	3,946,178	6,039,997	153.06	4,732,259	8,270,648	174.77
Clarksville	4,971,829	7,634,456	153.55	4,970,266	8,899,058	179.05
Danville	33,623,839	52,098,202	154.94	34,704,946	62,113,299	178.98
Kenbridge	2,351,355	3,492,956	148.55	2,898,352	4,987,876	172.09
Lawrenceville	5,247,900	8,089,887	154.15	5,638,317	9,868,953	175.03
Petersburg	1,865,523	2,842,974	152.40	2,334,110	4,066,766	174.23
South Boston	11,532,632	16,742,188	145.17	13,590,744	23,825,989	175.31
South Hill	5,796,906	8,882,637	153.23	6,172,618	10,841,807	175.64
Total Virginia	71,306,302	108,620,345	152.33	77,686,993	137,442,856	176.92
North Carolina:						
Aberdeen	3,663,598	5,319,652	145.20	4,135,780	6,934,133	167.66
Burl-Meb	5,091,822	7,612,205	149.50	5,642,027	9,899,846	175.47
Carthage	4,272,583	6,538,035	153.02	5,461,130	9,388,514	171.92
Durham	3,463,053	5,028,042	145.19	6,787,629	11,591,660	170.78
Fuquay-Varina	13,468,680	20,445,270	151.80	16,368,018	27,863,528	170.23
Henderson	9,188,047	13,998,444	152.35	10,326,626	18,089,599	175.17
Louisburg	6,876,676	10,805,065	157.13	7,294,934	12,923,614	177.16
Madison	3,010,386	4,130,086	137.19	3,167,794	5,418,569	171.05
Mt. Airy	8,349,740	11,596,042	138.88	10,597,679	17,764,399	167.63
Oxford	9,543,619	14,265,593	149.48	10,615,580	18,399,868	173.33
Reidsville	13,818,507	21,153,377	153.08	13,292,805	23,830,139	179.27
Roxboro	12,478,981	18,905,521	151.50	11,947,646	21,050,589	176.19
Sanford	5,288,390	7,866,649	148.75	7,347,215	12,606,204	171.58
Stoneville	5,525,273	7,858,386	142.23	7,256,035	12,476,633	171.95
Warrenton	4,898,874	7,596,267	155.06	5,154,251	8,949,144	173.63
Winston-Salem	26,165,924	36,308,545	138.76	32,953,108	56,198,991	170.54
Total N.C.	135,104,153	199,427,179	147.61	158,348,257	273,385,430	172.65
Total type 11	206,410,455	308,047,524	149.24	235,035,250	410,828,286	174.05

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,287,091	6,243,175	145.63	5,627,052	9,225,541	163.95
Clinton	11,765,706	17,937,873	152.46	13,403,360	22,552,358	168.26
Dunn	4,352,468	6,403,263	147.12	5,926,006	9,994,525	168.66
Farmville	18,085,750	28,519,134	157.69	21,197,835	36,140,063	170.49
Goldsboro	23,897,889	36,959,999	154.66	27,377,918	47,200,354	172.40
Greenville	27,521,303	42,914,308	155.93	33,218,370	55,521,968	167.14
Kinston	28,697,140	46,260,571	161.20	31,683,823	53,518,667	168.91
Robersonville	4,593,914	7,210,714	156.96	5,733,899	9,733,807	169.76
Rocky Mount	17,401,959	27,204,791	156.33	23,256,884	39,282,724	168.91
Smithfield	19,227,591	29,088,028	151.28	21,761,989	37,497,346	172.31
Wallace	7,201,158	11,019,678	153.03	8,716,964	14,450,005	165.77
Washington 3/	670,386	1,052,776	157.04	2,530,652	4,216,396	166.61
Wendell	2,847,103	4,245,455	149.11	4,466,419	7,631,804	170.87
Williamston	7,539,581	11,902,914	157.87	9,293,261	15,827,913	170.32
Wilson	53,105,650	84,928,197	159.92	60,692,791	105,848,993	174.40
Windsor	7,420,655	11,501,413	154.99	7,705,444	12,835,467	166.58
Total type 12	238,615,344	373,392,289	156.48	282,592,667	481,477,931	170.38

Continued

See footnotes at end of table.

Table 7.—Producers' sales, value, and average price by type, state, and market 1/—Continued

Market and State	Type 13 - South Carolina and Border North Carolina flue-cured			1985 crop 2/		
	1986 crop		Average price	Sales	Value	Average price
	Sales Pounds	Value Dollars	Dollars	Pounds	Dollars	Dollars
<b>South Carolina:</b>						
Conway	4,665,431	6,827,100	146.33	6,681,338	11,468,590	171.65
Darlington	3,509,567	4,373,065	124.60	5,310,095	9,072,135	170.85
Hemingway	5,500,459	8,237,186	149.75	6,415,030	11,152,605	173.85
Kingstree	4,172,051	5,765,228	138.19	5,652,755	9,520,574	168.42
Lake City	19,508,260	26,917,911	137.98	25,556,596	43,739,220	171.15
Loris	4,954,470	7,556,463	152.52	6,123,520	10,601,209	173.12
Mullins	24,661,562	36,869,881	149.50	28,053,859	49,372,925	175.99
Pamlico	2,323,699	3,082,845	132.67	2,603,504	4,445,865	170.76
Timmonsville	3,535,751	4,589,551	129.80	6,200,212	10,511,799	169.54
<b>Total S.C.</b>	<b>72,831,250</b>	<b>104,219,230</b>	<b>143.10</b>	<b>92,596,909</b>	<b>159,884,922</b>	<b>172.67</b>
<b>North Carolina:</b>						
Chadbourn	5,684,946	8,697,656	152.99	9,553,023	16,518,107	172.91
Clarkton	4,765,155	7,359,706	154.45	5,726,698	9,661,926	168.72
Fair Bluff	2,662,822	4,154,313	156.01	3,127,107	5,506,980	176.10
Fairmont	18,805,305	28,884,948	153.60	23,185,863	40,052,980	172.75
Lumberton	10,824,777	16,053,307	148.30	13,470,503	22,946,682	170.35
Tabor City	7,383,692	11,114,501	150.53	8,969,973	15,404,374	171.73
Whiteville	9,983,089	15,482,018	155.08	12,590,465	21,499,204	170.76
<b>Total N.C.</b>	<b>60,109,786</b>	<b>91,746,449</b>	<b>152.63</b>	<b>76,623,632</b>	<b>131,590,253</b>	<b>171.74</b>
<b>Total type 13</b>	<b>132,941,036</b>	<b>195,965,679</b>	<b>147.41</b>	<b>169,220,541</b>	<b>291,475,175</b>	<b>172.25</b>

Type 14 - Georgia and Florida flue-cured

Georgia:	Type 14 - Georgia and Florida flue-cured			1985		
	Sales Pounds	Value Dollars	Avg. Price Dollars	Sales Pounds	Value Dollars	Avg. Price Dollars
Alma	6,914,033	11,023,018	159.43	7,814,491	13,520,019	173.01
Baxley	291,578	433,559	148.69	Not operating in 1985		
Blackshear	5,750,745	9,111,716	158.44	6,210,273	10,985,540	176.89
Claxton	4,767,548	7,268,999	152.44	6,309,132	10,519,141	166.73
Douglas	10,548,271	16,925,049	160.45	12,845,500	22,443,772	174.72
Hazlehurst	668,475	943,451	141.13	2,073,810	3,485,537	168.08
Moultrie	8,736,574	13,996,035	160.20	9,570,697	16,407,290	171.43
Nashville	7,155,912	11,417,120	159.55	7,623,921	13,279,207	174.18
Pelham	5,639,541	9,057,413	160.61	6,376,559	10,862,230	170.35
Statesboro	1,545,432	2,204,166	142.62	2,182,363	3,539,249	162.18
Thomasville	1,330,789	2,098,335	157.68	1,484,209	2,438,598	164.30
Tifton	2,147,176	3,286,699	153.07	3,479,880	5,710,878	164.11
Val-Hira	6,697,280	10,516,483	157.03	8,929,477	15,090,829	169.00
Vidalia	6,628,860	10,195,250	153.80	8,024,527	13,667,351	170.32
<b>Total Georgia</b>	<b>68,822,214</b>	<b>108,477,293</b>	<b>157.62</b>	<b>82,924,839</b>	<b>141,949,641</b>	<b>171.18</b>
<b>Florida:</b>						
High Springs	1,138,360	1,868,069	164.10	1,644,200	2,701,918	164.33
Lake City	3,573,509	5,807,045	162.50	4,301,445	7,412,333	172.32
Live Oak	7,379,024	12,098,669	163.96	8,304,663	14,477,739	174.33
Madison	1,140,282	1,834,806	160.91	1,333,937	2,287,040	171.45
<b>Total Florida</b>	<b>13,231,175</b>	<b>21,608,589</b>	<b>163.32</b>	<b>15,584,245</b>	<b>26,879,030</b>	<b>172.48</b>
<b>Total type 14</b>	<b>82,053,389</b>	<b>130,085,882</b>	<b>158.54</b>	<b>98,509,084</b>	<b>168,828,671</b>	<b>171.38</b>
<b>Total types 11-14</b>	<b>660,020,224</b>	<b>1,007,491,374</b>	<b>152.65</b>	<b>786,357,542</b>	<b>1,352,610,063</b>	<b>172.01</b>

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Includes special carryover auctions

3/ Includes Washington designations sold after August 12 on the Greenville market.

**Table 8.—Gross sales, value, and average price by type, state, and market 1/**

Market and State	Type 11 - Old and Middle Belt flue-cured			1985 crop 2/		
	1986 crop			1985 crop 2/		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
<b>Virginia:</b>						
Brookneal	2,398,403	3,363,357	140.23	3,121,868	5,370,615	172.03
Chase City	4,342,374	6,501,983	149.73	5,220,541	9,045,590	173.27
Clarksville	5,766,334	8,766,094	152.02	5,422,471	9,659,509	178.14
Danville	36,743,181	56,704,816	154.33	36,864,639	65,883,999	178.72
Kenbridge	2,666,192	3,833,739	143.79	3,089,112	5,295,908	171.44
Lawrenceville	5,397,434	8,323,784	154.22	5,762,892	10,068,060	174.70
Petersburg	1,973,841	2,991,547	151.56	2,390,801	4,161,830	174.08
South Boston	12,207,501	17,637,729	144.48	14,372,483	25,077,089	174.48
South Hill	5,975,809	9,150,766	153.13	6,306,409	11,068,442	175.51
<b>Total Virginia</b>	<b>77,471,069</b>	<b>117,273,815</b>	<b>151.38</b>	<b>82,551,216</b>	<b>145,631,042</b>	<b>176.41</b>
<b>North Carolina:</b>						
Aberdeen	4,048,616	5,828,211	143.96	4,468,244	7,483,935	167.49
Burl-Meb	5,649,146	8,378,879	148.32	5,970,435	10,462,481	175.24
Carthage	4,630,961	7,097,216	153.26	5,890,980	10,129,635	171.95
Durham	3,963,302	5,741,149	144.86	7,309,124	12,474,531	170.67
Fuquay-Varina	14,228,474	21,627,125	152.00	17,340,070	29,502,928	170.14
Henderson	9,942,444	15,155,669	152.43	10,967,983	19,115,243	174.28
Louisburg	7,636,064	11,940,391	156.37	7,930,526	14,023,885	176.83
Madison	3,656,348	5,073,898	138.77	3,598,368	6,163,666	171.29
Mt. Airy	10,056,643	13,954,820	138.76	12,076,596	20,209,365	167.34
Oxford	10,169,404	15,126,743	148.75	11,388,575	19,659,024	172.62
Reidsville	15,179,131	23,166,278	152.62	14,347,748	25,651,920	178.79
Roxboro	13,359,469	20,182,110	151.07	12,874,258	22,584,570	175.42
Sanford	6,090,819	9,038,958	148.40	8,173,625	13,988,705	171.14
Stoneville	6,433,200	9,254,898	143.86	8,242,155	14,172,088	171.95
Warrenton	5,416,293	8,375,753	154.64	5,454,672	9,468,525	173.59
Winston-Salem	31,614,301	43,805,271	138.56	37,885,895	64,581,728	170.46
<b>Total N.C.</b>	<b>152,074,615</b>	<b>223,747,369</b>	<b>147.13</b>	<b>173,919,254</b>	<b>299,672,229</b>	<b>172.31</b>
<b>Total type 11</b>	<b>229,545,684</b>	<b>341,021,184</b>	<b>148.56</b>	<b>256,470,470</b>	<b>445,303,271</b>	<b>173.63</b>

Type 12 - Eastern North Carolina flue-cured					
North Carolina:					
Ahoskie	4,714,500	6,868,900	145.70	6,002,668	9,847,909
Clinton	12,620,312	19,232,673	152.39	14,312,238	24,019,894
Dunn	4,955,952	7,282,109	146.94	6,628,405	11,137,202
Farmville	19,935,316	31,375,298	157.39	22,868,769	38,620,275
Goldsboro	26,719,959	41,367,785	154.82	30,635,404	52,823,215
Greenville	30,138,047	46,779,664	155.22	35,504,735	59,195,747
Kinston	30,669,799	49,323,612	160.82	33,390,175	56,329,225
Robersonville	5,054,366	7,898,684	156.27	6,422,806	10,746,699
Rocky Mount	19,607,288	30,530,815	155.71	24,909,478	42,088,593
Smithfield	21,381,335	32,274,985	150.95	24,283,701	41,721,536
Wallace	7,462,598	11,398,159	152.74	9,005,048	14,886,383
Washington 3/	671,940	1,055,244	157.04	2,852,652	4,723,352
Wendell	2,969,294	4,417,769	148.78	4,689,615	7,995,123
Williamston	7,711,784	12,166,756	157.77	9,567,960	16,265,769
Wilson	58,859,397	94,130,962	159.93	65,599,598	114,275,246
Windsor	8,311,814	12,830,126	154.36	8,515,961	14,207,998
<b>Total type 12</b>	<b>261,783,701</b>	<b>408,933,541</b>	<b>156.21</b>	<b>305,189,213</b>	<b>518,884,166</b>

Continued

See footnotes at end of table.

**Table 8.—Gross sales, value, and average price by type, state, and market 1/—Continued**

Market and State	Type 13 - South Carolina and Border North Carolina flue-cured			1985 crop 2/		
	1986 crop		Average price	Sales	Value	Average price
	Sales Pounds	Value Dollars	Dollars	Pounds	Dollars	Dollars
<b>South Carolina:</b>						
Conway	5,191,498	7,605,288	146.50	7,265,599	12,481,355	171.79
Darlington	3,898,873	4,896,164	125.58	5,657,415	9,645,657	170.50
Hemingway	6,147,424	9,219,223	149.97	7,038,165	12,260,500	174.20
Kingstree	4,599,894	6,375,303	138.60	6,043,573	10,171,287	168.30
Lake City	22,418,752	30,949,620	138.05	29,349,043	50,124,353	170.79
Loris	5,319,928	8,105,355	152.36	6,491,642	11,231,278	173.01
Mullins	27,481,402	41,113,087	149.60	30,970,433	54,467,164	175.87
Pamplico	2,398,971	3,181,435	132.62	2,674,146	4,558,700	170.47
Timmonsville	4,086,653	5,355,637	131.05	6,985,994	11,861,714	169.79
<b>Total S.C.</b>	<b>81,543,395</b>	<b>116,801,112</b>	<b>143.24</b>	<b>102,476,010</b>	<b>176,802,008</b>	<b>172.53</b>
<b>North Carolina:</b>						
Chadbourn	6,451,776	9,876,761	153.09	10,633,732	18,331,925	172.39
Clarkton	5,289,455	8,190,392	154.84	6,332,797	10,671,170	168.51
Fair Bluff	2,919,141	4,532,610	155.27	3,511,788	6,181,031	176.01
Fairmont	20,938,709	32,134,429	153.47	25,970,217	44,874,677	172.79
Lumberton	11,703,570	17,377,751	148.48	14,618,982	24,925,285	170.50
Tabor City	8,379,595	12,612,175	150.51	9,938,476	17,097,153	172.03
Whiteville	11,167,726	17,265,639	154.60	13,701,818	23,329,745	170.27
<b>Total N.C.</b>	<b>66,849,972</b>	<b>101,989,757</b>	<b>152.57</b>	<b>84,707,810</b>	<b>145,410,986</b>	<b>171.66</b>
<b>Total type 13</b>	<b>148,393,367</b>	<b>218,790,869</b>	<b>147.44</b>	<b>187,183,820</b>	<b>322,212,994</b>	<b>172.14</b>

Type 14 — Georgia and Florida flue-cured

Georgia:	Type 14 — Georgia and Florida flue-cured			1985 crop 2/		
	Sales Pounds	Value Dollars	Average Price Dollars	Sales	Value	Average Price Dollars
Alma	7,728,585	12,285,318	158.96	8,792,769	15,219,920	173.10
Baxley	328,971	486,050	147.75	Not operating in 1985		
Blackshear	6,572,698	10,365,692	157.71	6,985,778	12,360,644	176.94
Claxton	5,525,822	8,382,621	151.70	7,503,846	12,516,320	166.80
Douglas	12,223,703	19,724,486	161.36	14,593,860	25,584,392	175.31
Hazlehurst	746,741	1,052,951	141.01	2,255,025	3,785,008	167.85
Moultrie	10,407,537	16,745,712	160.90	11,210,612	19,302,832	172.18
Nashville	8,068,542	12,831,582	159.03	8,579,896	14,927,864	173.99
Pelham	6,780,016	10,805,377	159.37	7,546,134	12,812,423	169.79
Statesboro	1,775,425	2,535,145	142.79	2,390,121	3,892,113	162.84
Thomasville	1,652,472	2,624,514	158.82	1,761,616	2,888,132	163.95
Tifton	2,567,835	3,918,932	152.62	4,063,587	6,687,122	164.56
Val-Hira	7,475,818	11,716,754	156.73	9,996,438	16,933,539	169.40
Vidalia	7,748,646	11,862,815	153.10	9,256,149	15,725,109	169.89
<b>Total Georgia</b>	<b>79,602,811</b>	<b>125,337,949</b>	<b>157.45</b>	<b>94,935,831</b>	<b>162,635,418</b>	<b>171.31</b>
<b>Florida:</b>						
High Springs	1,451,427	2,394,461	164.97	1,928,763	3,202,812	166.06
Lake City	4,082,021	6,604,913	161.80	4,921,400	8,481,691	172.34
Live Oak	8,665,851	14,248,354	164.42	9,766,336	17,162,763	175.73
Madison	1,404,469	2,272,085	161.78	1,558,557	2,685,241	172.29
<b>Total Florida</b>	<b>15,603,768</b>	<b>25,519,813</b>	<b>163.55</b>	<b>18,175,056</b>	<b>31,532,507</b>	<b>173.49</b>
<b>Total type 14</b>	<b>95,206,579</b>	<b>150,857,762</b>	<b>158.45</b>	<b>113,110,887</b>	<b>194,167,925</b>	<b>171.66</b>
<b>Total types 11-14</b>	<b>734,929,331</b>	<b>1,119,603,356</b>	<b>152.34</b>	<b>861,954,390</b>	<b>1,480,568,356</b>	<b>171.77</b>

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Includes special carryover auctions.

3/ Includes Washington designations sold after August 12 on the Greenville market.

Table 9.—Resales, average price, and percentage of gross sales by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1986 crop			1985 crop 2/		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
<b>Virginia:</b>						
Brookneal	428,263	132.23	17.9	476,487	168.35	15.3
Chase City	396,196	116.61	9.1	488,282	158.71	9.4
Clarksville	794,505	142.43	13.8	452,205	168.17	8.3
Danville	3,119,342	147.68	8.5	2,159,693	174.59	5.9
Kenbridge	314,837	108.24	11.8	190,760	161.48	6.2
Lawrenceville	149,534	156.42	2.8	124,575	159.83	2.2
Petersburg	108,318	137.16	5.5	56,691	167.69	2.4
South Boston	674,869	132.70	5.5	781,739	160.04	5.4
South Hill	178,903	149.87	3.0	133,791	169.39	2.1
<b>Total Virginia</b>	<b>6,164,767</b>	<b>140.37</b>	<b>8.0</b>	<b>4,864,223</b>	<b>168.33</b>	<b>5.9</b>
<b>North Carolina:</b>						
Aberdeen	385,018	132.09	9.5	332,464	165.37	7.4
Burl-Meb	557,324	137.56	9.9	328,408	171.32	5.5
Carthage	358,378	156.03	7.7	429,850	172.41	7.3
Durham	500,249	142.55	12.6	521,495	169.30	7.1
Fuquay-Varina	759,794	155.55	5.3	972,052	168.65	5.6
Henderson	754,397	153.40	7.6	641,357	159.92	5.8
Louisburg	759,388	149.51	9.9	635,592	173.11	8.0
Madison	645,962	146.11	17.7	430,574	173.05	12.0
Mt. Airy	1,706,903	138.19	17.0	1,478,917	165.32	12.2
Oxford	625,785	137.61	6.2	772,995	162.89	6.8
Reidsville	1,360,624	147.94	9.0	1,054,943	172.69	7.4
Roxboro	880,488	144.99	6.6	926,612	165.55	7.2
Sanford	802,429	146.10	13.2	826,410	167.29	10.1
Stoneville	907,927	153.81	14.1	986,120	171.93	12.0
Warrenton	517,419	150.65	9.6	300,421	172.88	5.5
Winston-Salem	5,448,377	137.60	17.2	4,932,787	169.94	13.0
<b>Total N.C.</b>	<b>16,970,462</b>	<b>143.31</b>	<b>11.2</b>	<b>15,570,997</b>	<b>168.82</b>	<b>9.0</b>
<b>Total type 11</b>	<b>23,135,229</b>	<b>142.53</b>	<b>10.1</b>	<b>20,435,220</b>	<b>168.70</b>	<b>8.0</b>

Type 12 - Eastern North Carolina flue-cured					
North Carolina:	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars
Ahoskie	427,409	146.40	9.1	375,616	165.69
Clinton	854,606	151.51	6.8	908,878	161.47
Dunn	603,484	145.63	12.2	702,399	162.68
Farmville	1,849,566	154.42	9.3	1,670,934	148.43
Goldsboro	2,822,070	156.19	10.6	3,257,486	172.61
Greenville	2,616,744	147.72	8.7	2,286,365	160.68
Kinston	1,972,659	155.27	6.4	1,706,352	164.71
Robersonville	460,452	149.41	9.1	688,907	147.03
Rocky Mount	2,205,329	150.82	11.3	1,652,594	169.79
Smithfield	2,153,744	147.97	10.1	2,521,712	167.51
Wallace	261,440	144.77	3.5	288,084	151.48
Washington 3/	1,554	158.82	0.2	322,000	157.44
Wendell	122,191	141.02	4.1	223,196	162.78
Williamston	172,203	153.22	2.2	274,699	159.39
Wilson	5,753,747	159.94	9.8	4,906,807	171.73
Windsor	891,159	149.10	10.7	810,517	169.34
<b>Total type 12</b>	<b>23,168,357</b>	<b>153.40</b>	<b>8.9</b>	<b>22,596,546</b>	<b>165.54</b>

Continued

See footnotes at end of table.

Table 9.—Resales, average price, and percentage of gross sales by type, state, and market 1/—Continued

Type 13 - South Carolina and Border North Carolina flue-cured						
Market and State	1986 crop			1985 crop 2/		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
South Carolina:						
Conway	526,067	147.93	10.1	584,261	173.34	8.0
Darlington	389,306	134.37	10.0	347,320	165.13	6.1
Hemingway	646,965	151.79	10.5	623,135	177.79	8.8
Kingstree	427,843	142.59	9.3	390,818	166.50	6.5
Lake City	2,910,492	138.52	13.0	3,792,447	168.36	12.9
Loris	365,458	150.19	6.9	368,122	171.16	5.7
Mullins	2,819,840	150.48	10.3	2,916,574	174.67	9.4
Pamplico	75,272	130.98	3.1	70,642	159.73	2.6
Timmonsville	550,902	139.06	13.5	785,782	171.79	11.2
Total S.C.	8,712,145	144.42	10.7	9,879,101	171.24	9.6
North Carolina:						
Chadbourn	766,830	153.76	11.9	1,080,709	167.84	10.2
Clarkton	524,300	158.44	9.9	606,099	166.51	9.6
Fair Bluff	256,319	147.59	8.8	384,681	175.22	11.0
Fairmont	2,133,404	152.31	10.2	2,784,354	173.17	10.7
Lumberton	878,793	150.71	7.5	1,148,479	172.28	7.9
Tabor City	995,903	150.38	11.9	968,503	174.78	9.7
Whiteville	1,184,637	150.56	10.6	1,111,353	164.71	8.1
Total N.C.	6,740,186	151.97	10.1	8,084,178	170.96	9.5
Total type 13	15,452,331	147.71	10.4	17,963,279	171.11	9.6

Type 14 - Georgia and Florida flue-cured

Georgia:	1986 crop			1985 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
Alma	814,552	154.97	10.5	978,278	173.76	11.1
Baxley	37,393	140.38	11.4	Not operating in 1985		
Blackshear	821,953	152.56	12.5	775,505	177.32	11.1
Claxton	758,274	146.86	13.7	1,194,714	167.17	15.9
Douglas	1,675,432	167.09	13.7	1,748,360	179.63	12.0
Hazlehurst	78,266	139.91	10.5	181,215	165.26	8.0
Moultrie	1,670,963	164.56	16.1	1,639,915	176.57	14.6
Nashville	912,630	154.99	11.3	955,975	172.46	11.1
Pelham	1,140,475	153.27	16.8	1,169,575	166.74	15.5
Statesboro	229,993	143.91	13.0	207,758	169.84	8.7
Thomasville	321,683	163.57	19.5	277,407	162.05	15.8
Tifton	420,659	150.30	16.4	583,707	167.25	14.4
Val-Mira	778,538	154.17	10.4	1,066,961	172.71	10.7
Vidalia	1,119,786	148.92	14.5	1,231,622	167.08	13.3
Total Georgia	10,780,597	156.40	13.5	12,010,992	172.22	12.7
Florida:						
High Springs	313,067	168.14	21.6	284,563	176.02	14.8
Lake City	508,512	156.90	12.5	619,955	172.49	12.6
Live Oak	1,286,827	167.05	14.9	1,461,673	183.70	15.0
Madison	264,187	165.52	18.8	224,620	177.28	14.4
Total Florida	2,372,593	164.85	15.2	2,590,811	179.61	14.3
Total type 14	13,153,190	157.92	13.8	14,601,803	173.54	12.9
Total types 11-14	74,909,107	149.66	10.2	75,596,848	169.26	8.8

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Includes special carryover auctions.

3/ Includes Washington designations sold after August 12 on the Greenville market.

Table 10.—Rank of markets by volume of producers' sales, by separate types and by all types, 1986 crop 1/

Type, market, and State	Sales	Rank by:		Type, market, and State	Sales	Rank by:	
		Separate types	All types			Separate types	All types
		Mil. lb.				Mil. lb.	
<u>Type 11</u>							
Danville, Va.	33.6	1	2	Mullins, S.C.	24.7	1	6
Winston-Salem, N.C.	26.2	2	4	Lake City, S.C.	19.5	2	8
Reidsville, N.C.	13.8	3	13	Fairmont, N.C.	18.8	3	10
Fuquay-Varina, N.C.	13.5	4	14	Lumberton, N.C.	10.8	4	18
Roxboro, N.C.	12.5	5	15	Whiteville, N.C.	10.0	5	20
South Boston, Va.	11.5	6	17	Tabor City, N.C.	7.4	6	27
Oxford, N.C.	9.5	7	21	Chadbourn, N.C.	5.7	7	37
Henderson, N.C.	9.2	8	22	Hemingway, S.C.	5.5	8	40
Mt. Airy, N.C.	8.3	9	24	Loris, S.C.	5.0	9	45
Louisburg, N.C.	6.9	10	32	Clarkton, N.C.	4.8	10	48
South Hill, Va.	5.8	11	35	Conway, S.C.	4.7	11	49
Stoneville, N.C.	5.5	12	39	Kingstree, S.C.	4.2	12	54
Sanford, N.C.	5.3	13	41	Timmonsville, S.C.	3.5	13	58
Lawrenceville, Va.	5.2	14	42	Darlington, S.C.	3.5	14	60
Burl-Meb., N.C.	5.1	15	43	Fair Bluff, N.C.	2.7	15	63
Clarksville, Va.	5.0	16	44	Pamlico, S.C.	2.3	16	65
Warrenton, N.C.	4.9	17	46				
Carthage, N.C.	4.3	18	53				
Chase City, Va.	3.9	19	55				
Aberdeen, N.C.	3.7	20	56				
Durham, N.C.	3.5	21	59				
Madison, N.C.	3.0	22	61				
Kenbridge, Va.	2.4	23	64				
Brookneal, Va.	2.0	24	67				
Petersburg, Va.	1.9	25	68				
<u>Type 12</u>							
<u>Type 13</u>							
Douglas, Ga.	10.5	1	19				
Moultrie, Ga.	8.7	2	23				
Live Oak, Fla.	7.4	3	28				
Nashville, Ga.	7.2	4	30				
Alma, Ga.	6.9	5	31				
Val-Hira, Ga.	6.7	6	33				
Vidalia, Ga.	6.6	7	34				
Blackshear, Ga.	5.8	8	36				
Pelham, Ga.	5.6	9	38				
Claxton, Ga.	4.8	10	47				
Lake City, Fla.	3.6	11	57				
Tifton, Ga.	2.1	12	66				
Statesboro, Ga.	1.5	13	69				
Thomasville, Ga.	1.3	14	70				
Madison, Fla.	1.1	15	71				
High Springs, Fla.	1.1	16	72				
Hazlehurst, Ga.	0.7	17	74				
Baxley, Ga.	0.3	18	75				

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.—Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1986 crop Season averages					1986 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers:							Wrappers:
A1L	--	--	--	--	--	196	A1L
A1F	--	--	--	--	--	196	A1F
Leaf:							Leaf:
B1L	--	--	--	--	--	186	B1L
B2L	--	--	--	--	--	182	B2L
B3L	180	--	--	--	180	179	B3L
B4L	180	178	(178)	178	179	175	B4L
B5L	177	178	175	173	176	166	B5L
B6L	--	--	--	--	--	160	B6L
B1F	--	--	--	--	--	186	B1F
B2F	183	(183)	--	--	183	182	B2F
B3F	180	180	180	--	180	179	B3F
B4F	180	179	178	179	179	175	B4F
B5F	176	176	175	176	176	166	B5F
B6F	161	--	(167)	178	176	160	B6F
B1FR	--	--	--	--	--	184	B1FR
B2FR	--	--	--	--	--	180	B2FR
B3FR	--	--	--	--	--	177	B3FR
B4FR	--	180	--	--	180	174	B4FR
B5FR	169	177	172	--	172	165	B5FR
B6FR	(161)	--	--	--	(161)	158	B6FR
B5R	156	--	--	--	156	136	B5R
B3K	177	175	171	180	176	165	B3K
B4K	171	172	170	177	172	159	B4K
B5K	163	167	163	173	166	153	B5K
B6K	151	162	154	166	158	145	B6K
B3KR	177	173	174	180	176	162	B3KR
B4KR	172	173	167	176	172	155	B4KR
B5KR	165	170	159	174	167	148	B5KR
B3V	(180)	--	164	--	167	158	B3V
B4V	169	169	164	168	167	153	B4V
B5V	160	160	157	171	163	146	B5V
B3S	(172)	176	(178)	--	176	151	B3S
B4S	--	167	158	(164)	163	148	B4S
B5S	--	--	--	178	174	140	B5S
B3KL	169	171	(180)	(173)	171	150	B3KL
B4KL	161	167	162	163	164	146	B4KL
B5KL	149	159	156	166	157	140	B5KL
B6KL	141	150	144	--	147	134	B6KL
B3KF	170	168	166	170	169	150	B3KF
B4KF	160	166	160	171	163	146	B4KF
B5KF	149	161	151	166	155	140	B5KF
B6KF	140	153	142	160	146	134	B6KF
B3KD	170	170	164	--	170	147	B3KD
B4KD	165	165	159	(157)	165	142	B4KD
B5KD	152	158	149	142	153	132	B5KD
B6KD	137	146	141	139	140	126	B6KD
B4KV	157	161	157	165	159	144	B4KV
B5KV	148	158	150	163	153	134	B5KV
B6KV	135	149	138	159	143	125	B6KV
B3KM	175	173	172	174	174	156	B3KM
B4KM	168	169	166	173	169	152	B4KM
B5KM	158	164	159	169	163	146	B5KM
B6KM	145	156	149	162	153	135	B6KM
B3KK	158	(168)	--	--	163	149	B3KK
B4KK	162	162	157	155	160	145	B4KK
B5KK	149	162	152	159	156	139	B5KK
B6KK	135	154	135	--	142	130	B6KK
B4G	(154)	154	155	165	158	142	B4G
B5G	141	150	147	158	150	134	B5G
B6G	--	--	(136)	--	138	126	B6G
B5GR	(134)	--	--	--	140	122	B5GR
B4GK	153	158	152	163	157	135	B4GK
B5GK	142	154	145	158	149	131	B5GK
B6GK	132	149	137	151	139	123	B6GK
B5GG	127	135	(135)	--	130	115	B5GG

Continued

See footnotes at end of table.

Table 11.—Season average prices and support rates by individual grades, per 100 pounds 1/—Continued

Group and grade 2/	1986 crop Season averages					1986 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
<b>Smoking leaf:</b>							<b>Smoking leaf:</b>
H3F	182	--	--	182	182	181	H3F
H4F	180	180	179	180	180	178	H4F
H5F	178	177	177	180	178	170	H5F
H6F	--	--	(174)	(178)	174	165	H6F
H4FR	(180)	--	(178)	--	179	175	H4FR
H5FR	177	--	--	--	176	166	H5FR
H6FR	--	--	--	--	(163)	160	H6FR
H4K	175	178	175	179	176	159	H4K
H5K	169	173	171	177	171	154	H5K
H6K	160	172	160	173	164	147	H6K
<b>Cutters:</b>							<b>Cutters:</b>
C1L	--	--	--	--	--	179	C1L
C2L	--	--	--	--	--	176	C2L
C3L	--	--	--	--	--	173	C3L
C4L	176	177	172	171	174	169	C4L
C5L	169	172	167	167	169	162	C5L
C4LL	--	156	157	--	157	144	C4LL
C5LL	(160)	(145)	--	--	154	137	C5LL
C5LP	145	141	142	145	142	129	C5LP
C1F	--	--	--	--	--	179	C1F
C2F	--	--	--	--	--	176	C2F
C3F	(180)	--	--	--	(180)	173	C3F
C4F	175	176	173	174	175	169	C4F
C5F	173	171	169	171	172	162	C5F
C5FP	147	142	140	144	142	129	C5FP
C4KR	171	167	164	175	169	158	C4KR
C4V	167	161	160	165	162	156	C4V
C4S	167	162	157	165	161	152	C4S
C4KL	166	162	160	157	162	152	C4KL
C4KF	163	158	162	164	161	152	C4KF
C4KM	165	165	163	166	165	154	C4KM
C4KK	(158)	157	161	--	157	151	C4KK
C4G	--	152	153	158	155	141	C4G
C4GK	150	153	151	150	151	135	C4GK
<b>Lugs:</b>							<b>Lugs:</b>
X1L	--	--	--	--	--	174	X1L
X2L	--	--	--	--	--	169	X2L
X3L	167	167	164	163	166	163	X3L
X4L	155	154	153	154	154	146	X4L
X5L	141	142	141	145	142	130	X5L
X3LL	--	142	136	--	140	134	X3LL
X4LL	--	139	147	(141)	140	130	X4LL
X1F	--	--	--	--	--	174	X1F
X2F	--	178	--	(170)	176	169	X2F
X3F	171	168	165	167	169	163	X3F
X4F	161	159	157	158	160	146	X4F
X5F	147	147	145	148	147	130	X5F
X3KR	167	163	--	164	165	152	X3KR
X4KR	159	159	158	160	159	144	X4KR
X3V	156	157	157	155	157	152	X3V
X4V	152	151	150	149	150	143	X4V
X3S	153	152	154	149	151	141	X3S
X4S	152	150	145	151	149	133	X4S
X4KL	143	150	147	142	145	131	X4KL
X4KF	142	146	141	144	143	131	X4KF
X4KV	138	141	135	142	139	128	X4KV
X3KM	155	155	154	156	155	141	X3KM
X4KM	148	149	148	150	149	134	X4KM
X4GK	135	138	137	140	137	125	X4GK
X4G	140	137	136	140	138	126	X4G
X5G	129	132	130	132	130	123	X5G

Continued

See footnotes at end of table.

Table 11.—Season average prices and support rates by individual grades, per 100 pounds 1/—Continued

Group and grade 2/	1986 crop Season averages					1986 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
<b>Primings:</b>							
P2L	142	(131)	137	147	141	128	P2L
P2L sand	--	--	--	--	--	115	P2L sand
P3L	137	134	134	138	136	120	P3L
P3L sand	(122)	--	--	--	129	108	P3L sand
P4L	122	125	124	127	124	110	P4L
P4L sand	110	113	--	129	116	99	P4L sand
P5L	102	113	108	113	109	0	P5L
P5L sand	96	--	--	(97)	96	0	P5L sand
P2F	146	--	141	139	141	128	P2F
P2F sand	--	--	--	--	--	115	P2F sand
P3F	139	138	135	139	138	120	P3F
P3F sand	121	--	--	--	128	108	P3F sand
P4F	123	127	124	127	125	110	P4F
P4F sand	110	115	122	119	112	99	P4F sand
P5F	98	113	107	111	105	0	P5F
P5F sand	93	(95)	(86)	100	94	0	P5F sand
P4G	112	120	115	119	116	100	P4G
P4G sand	102	--	(96)	(119)	104	90	P4G sand
P5G	94	111	99	109	102	0	P5G
P5G sand	89	--	--	--	90	0	P5G sand
<b>Mixed:</b>							
M4F	--	--	--	--	--	137	M4F
M5F	--	--	--	--	(140)	131	M5F
M4KR	--	--	--	--	--	124	M4KR
M4KM	157	(149)	(149)	--	153	123	M4KM
M5KM	144	(152)	144	--	146	120	M5KM
M4GK	--	--	--	--	(130)	116	M4GK
M5GK	(116)	--	(116)	--	118	111	M5GK
<b>Nondescript:</b>							
N1L	86	106	97	106	97	0	N1L
N1L sand	84	--	--	(101)	86	0	N1L sand
N1XL	101	122	107	121	108	0	N1XL
N1K	128	151	132	152	139	115	N1K
N1R	117	136	115	--	119	104	N1R
N1GL	89	109	95	105	98	0	N1GL
N1GL sand	80	--	--	--	79	0	N1GL sand
N1GF	118	134	120	127	124	104	N1GF
N1KV	120	139	124	148	129	103	N1KV
N1GR	120	129	117	(116)	119	99	N1GR
N1GG	(119)	--	(122)	--	123	95	N1GG
N1PO	93	106	101	108	102	0	N1PO
N1PO sand	--	--	--	--	119	0	N1PO sand
N1XO	106	121	113	131	115	0	N1XO
N1BO	132	147	135	151	143	96	N1BO
N2	82	104	89	106	92	0	N2
No-G 4/	96	104	94	103	97	0	No-G 4/
No-G-F sand	76	--	--	(127)	82	0	No-G-F sand
"W"	117	(141)	--	--	125	0	"W"
"U"	110	122	105	124	114	0	"U"

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard grademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

4/ Includes No-G, No-G-F and scrap (S).

Table 12.—Average prices by weeks for representative grades and season averages—Type 11 1/

Type 11 - 1986 crop

Group and grade	Week ending							
	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sep. 4	Sep. 11	Sep. 18	Sep. 25
B4F	--	--	--	--	178	179	180	180
B5F	--	--	--	--	178	176	178	177
B3K	--	--	--	--	--	176	180	178
B4K	--	--	--	--	174	172	174	175
B5K	--	--	173	157	162	164	167	170
B6K	--	--	171	--	159	153	159	162
B4KR	170	179	176	177	173	172	175	176
B5KR	--	175	178	174	--	163	165	167
B4KL	--	--	--	--	161	164	167	174
B3KF	151	--	--	--	--	--	176	174
B4KF	169	158	--	160	162	159	166	170
B5KF	--	--	--	155	153	151	155	162
B6KF	--	--	--	--	--	150	143	151
B3KD	157	172	169	166	--	--	--	--
B4KD	151	170	166	155	146	--	144	--
B5KD	145	162	158	144	141	138	137	144
B6KD	--	155	148	143	--	--	--	142
B4KV	--	--	--	150	157	156	164	164
B5KV	--	--	--	155	149	147	154	158
B6KV	--	--	--	--	136	140	140	148
B3KM	--	172	174	166	171	174	176	179
B4KM	--	172	167	164	165	168	171	173
B5KM	--	--	--	170	161	160	164	167
B5GK	--	145	--	--	144	145	148	152
H4K	--	--	--	--	--	--	178	176
H5K	--	--	--	--	165	178	175	174
H6K	--	--	--	--	--	170	161	168
C5F	--	--	--	165	167	172	177	176
C4KR	173	--	--	--	--	170	--	174
C4KF	--	158	--	155	--	165	161	174
C4KM	--	160	160	162	164	166	171	172
X4L	--	--	152	150	156	155	157	159
X5L	--	--	--	139	141	137	148	142
X3F	--	--	165	164	168	175	176	179
X4F	--	--	154	157	158	162	166	170
X5F	--	139	135	145	146	149	153	153
X4KR	--	--	157	155	150	162	167	161
X4KF	--	143	135	138	141	147	147	144
X4KV	--	133	134	137	139	137	143	147
X3KM	144	145	150	153	158	161	163	170
X4KM	138	139	143	145	148	151	156	160
X4GK	--	130	127	134	135	135	140	143
X5G	--	--	126	127	127	128	137	130
P3L	--	134	140	136	136	140	--	--
P4L	115	122	123	123	120	123	121	129
P5L	--	105	104	106	91	96	--	--
P3F	126	135	140	139	137	143	146	--
P4F	116	120	125	124	123	123	126	128
P5F	100	98	104	102	98	91	106	106
P4G	104	108	113	114	109	113	111	134
P5G	86	91	102	96	92	91	95	102
N1L	--	89	92	91	85	79	86	87
N1XL	--	107	106	106	113	100	107	108
N1K	--	154	143	--	126	140	135	137
N1GL	--	86	94	93	88	85	88	98
N1KV	--	--	--	122	123	122	125	128
N1PO	90	90	96	98	85	94	110	93
N1XO	--	95	--	112	106	105	111	119
N1BO	131	151	147	--	--	136	140	148
N2	--	96	88	79	76	76	78	81

Continued

See footnotes at end of table.

Table 12.—Average prices by weeks for representative grades and season averages—Type 11—continued

## Type 11 - 1986 crop

Group and grade	Week ending						Season	
	Oct. 2	Oct. 9	Oct. 16	Oct. 23	Oct. 30	Nov. 2/ 6	1986	1985
B4F	180	179	180	180	178	180	180	196
B5F	176	173	175	178	176	174	176	191
B3K	177	175	177	179	--	176	177	193
B4K	173	167	167	171	170	169	171	188
B5K	167	159	160	161	160	158	163	185
B6K	153	149	149	149	149	148	151	178
B4KR	171	163	166	165	169	165	172	186
B5KR	164	156	156	155	155	156	165	182
B4KL	161	151	158	161	159	--	161	172
B3KF	175	167	169	174	--	--	170	179
B4KF	165	156	156	158	155	155	160	177
B5KF	155	148	145	146	146	146	149	174
B6KF	152	139	138	138	139	138	140	166
B3KD	--	--	--	--	--	--	170	--
B4KD	--	145	150	142	143	146	165	165
B5KD	143	137	139	134	134	137	152	162
B6KD	133	130	130	130	128	130	137	153
B4KV	159	152	150	152	151	153	157	175
B5KV	149	141	142	142	142	145	148	170
B6KV	142	132	130	133	132	131	135	166
B3KM	178	171	174	175	169	--	175	183
B4KM	169	162	166	170	165	167	168	180
B5KM	161	156	154	156	155	156	158	177
B5GK	144	139	136	140	135	136	142	163
H4K	174	177	170	166	--	171	175	193
H5K	173	166	165	166	170	160	169	192
H6K	160	160	151	155	161	153	160	189
C5F	174	174	173	--	177	--	173	190
C4KR	173	169	--	--	--	--	171	186
C4KF	164	160	--	--	--	--	163	175
C4KM	172	168	--	--	--	--	165	180
X4L	153	153	--	--	--	--	155	170
X5L	--	--	--	--	--	--	141	159
X3F	173	--	--	176	--	--	171	190
X4F	162	160	156	156	154	152	161	174
X5F	150	139	140	138	135	134	147	164
X4KR	164	151	--	--	--	--	159	173
X4KF	142	138	143	137	134	136	142	158
X4KV	143	135	135	133	133	129	138	156
X3KM	160	153	--	--	--	--	155	166
X4KM	152	149	151	141	138	138	148	162
X4GK	138	137	131	--	--	137	135	152
X5G	128	130	125	126	--	--	129	147
P3L	--	--	--	--	--	--	137	149
P4L	--	--	--	--	111	--	122	136
P5L	--	--	--	--	78	--	102	128
P3F	--	--	--	--	--	--	139	148
P4F	122	113	114	111	111	112	123	137
P5F	97	86	76	73	80	76	98	126
P4G	116	--	101	--	--	103	112	129
P5G	73	95	75	73	--	80	94	122
N1L	91	89	72	74	83	76	86	121
N1XL	101	90	91	95	88	93	101	137
N1K	138	128	123	125	121	121	128	163
N1GL	87	85	85	94	83	81	89	121
N1KV	126	120	115	116	115	116	120	155
N1PO	--	--	--	--	--	77	93	125
N1XO	121	96	--	74	--	85	106	135
N1BO	150	127	126	122	119	112	132	161
N2	86	84	85	89	75	82	82	117

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after November 6 due to limited sales.

Table 13.—Average prices by weeks for representative grades and season averages—Type 12 1/

Type 12 - 1986 crop

Group and grade	Week ending					
	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sep. 4	Sep. 11
B4F	--	--	--	177	--	179
B5F	--	--	--	175	176	178
B3K	--	--	--	--	178	--
B4K	175	179	169	169	174	175
B5K	173	176	168	168	171	172
B6K	173	--	--	159	168	167
B4KR	176	175	170	166	176	177
B5KR	172	176	177	163	173	170
B4KL	--	--	--	161	167	167
B4KF	156	173	159	163	168	169
B5KF	163	161	154	157	163	163
B6KF	--	--	--	149	156	151
B4KD	160	168	163	147	--	155
B5KD	159	163	158	146	--	153
B6KD	149	148	145	--	--	144
B4KV	--	--	155	158	163	161
B5KV	--	--	146	154	159	158
B6KV	--	--	--	144	149	150
B3KM	--	--	161	167	173	177
B4KM	165	165	159	165	170	172
B5KM	168	157	156	162	167	166
B6KM	--	--	--	151	159	159
B4KK	--	--	156	158	165	167
B5KK	--	--	--	159	164	167
B4GK	--	--	153	157	159	160
B5GK	147	--	147	152	158	156
H5K	--	--	--	--	177	175
H6K	--	--	--	--	175	179
C5L	--	--	164	166	179	175
C5LP	135	140	142	146	148	--
C5F	--	163	171	169	174	175
C5FP	134	142	143	151	--	--
C4KM	161	155	159	163	171	172
C4KK	152	153	155	158	--	--
X4L	147	148	151	157	162	163
X3F	--	163	167	168	176	169
X4F	149	150	156	160	166	164
X5F	139	139	144	149	151	151
X4KF	135	139	141	149	147	152
X4KV	135	134	136	143	143	145
X3KM	146	150	154	160	164	163
X4KM	139	142	148	152	154	156
X4GK	130	135	139	139	143	142
P3L	128	137	134	143	--	--
P4L	118	127	128	129	126	--
P5L	114	114	120	120	--	--
P3F	131	139	144	151	--	--
P4F	122	127	130	127	127	136
P5F	109	115	115	118	117	133
P4G	114	121	121	125	122	--
P5G	105	111	112	119	118	120
N1L	104	105	106	111	118	134
N1XL	--	108	113	126	131	139
N1K	176	--	--	159	143	153
N1GL	102	105	113	114	124	119
N1KV	--	--	124	130	137	144
N1PO	102	110	109	110	117	--
N1XO	--	116	123	124	132	129
N1BO	--	152	--	147	153	149
N2	95	95	107	104	118	120

Continued

See footnotes at end of table.

Table 13.—Average prices by weeks for representative grades and season averages—Type 12—continued

Type 12 - 1986 crop

Group and grade	Week ending					Season	
	Sep. 18	Sep. 25	Oct. 2	Oct. 9	Oct. 16 2/	1986	1985
B4F	180	179	180	--	--	179	195
B5F	176	177	176	175	--	176	189
B3K	175	176	176	174	--	175	190
B4K	175	173	169	168	164	172	184
B5K	172	169	166	161	156	167	181
B6K	167	164	159	154	149	162	176
B4KR	177	175	168	165	159	173	184
B5KR	174	171	167	165	157	170	181
B4KL	170	171	166	160	--	167	172
B4KF	171	168	164	157	160	166	176
B5KF	165	163	159	152	150	161	174
B6KF	157	156	154	145	144	153	169
B4KD	--	--	--	--	--	165	164
B5KD	169	152	153	146	--	158	161
B6KD	153	151	144	142	138	146	159
B4KV	166	164	162	154	--	161	175
B5KV	162	159	155	148	145	158	170
B6KV	153	154	150	139	135	149	163
B3KM	176	174	174	171	--	173	182
B4KM	172	172	169	166	161	169	179
B5KM	167	167	162	156	153	164	176
B6KM	156	161	158	147	--	156	171
B4KK	165	166	164	167	--	162	--
B5KK	164	163	161	154	--	162	--
B4GK	161	165	165	146	--	158	167
B5GK	160	155	156	141	135	154	165
H5K	177	174	172	166	164	173	188
H6K	172	176	170	162	--	172	187
C5L	174	175	171	--	--	172	189
C5LP	--	--	156	--	--	141	152
C5F	175	173	172	169	--	171	189
C5FP	--	163	144	150	145	142	152
C4KM	173	170	171	168	172	165	180
C4KK	--	166	--	161	--	157	--
X4L	162	168	--	--	--	154	170
X3F	168	--	--	--	--	168	189
X4F	163	164	161	160	154	159	172
X5F	155	153	149	139	137	147	160
X4KF	154	163	145	135	--	146	157
X4KV	147	147	145	136	133	141	154
X3KM	173	--	162	161	--	155	166
X4KM	159	156	152	146	144	149	161
X4GK	143	137	139	138	--	138	151
P3L	--	--	--	--	--	134	145
P4L	137	123	136	118	--	125	136
P5L	--	--	--	76	--	113	126
P3F	--	--	142	--	--	138	146
P4F	140	127	130	115	112	127	137
P5F	120	111	117	76	74	113	127
P4G	--	--	--	107	--	120	132
P5G	--	--	--	76	--	111	126
N1L	131	114	119	72	75	106	123
N1XL	143	119	119	90	92	122	135
N1K	153	152	156	142	134	151	164
N1GL	127	--	110	85	69	109	122
N1KV	145	145	142	128	122	139	150
N1PO	--	96	--	66	--	106	124
N1XO	144	142	103	90	--	121	134
N1BO	154	150	142	130	119	147	165
N2	124	120	116	84	76	104	119

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after October 16 due to limited sales.

Table 14.—Average prices by weeks for representative grades and season averages—Type 13 1/

Type 13 - 1986 crop

Group and grade	Week ending					
	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sep. 4	Sep. 11
B4F	--	--	--	178	179	178
B5F	--	--	--	171	178	177
B4K	--	165	166	171	173	172
B5K	--	163	165	163	167	165
B6K	--	151	154	160	158	159
B4KR	--	--	170	169	170	165
B5KR	--	--	170	157	160	158
B4KF	151	--	153	154	162	162
B5KF	156	--	150	149	152	155
B6KF	--	--	148	144	145	148
B5KD	156	149	152	145	--	--
B6KD	149	--	148	143	147	--
B4KV	--	--	150	154	158	157
B5KV	--	140	142	146	152	153
B6KV	--	129	132	134	141	138
B3KM	--	--	--	160	168	168
B4KM	156	158	159	162	169	169
B5KM	--	--	156	154	162	161
B6KM	--	--	--	153	--	147
B4KK	151	154	160	154	--	162
B5KK	143	147	156	151	--	152
B4GK	--	145	151	147	155	156
B5GK	--	144	145	142	147	148
B6GK	--	121	141	134	139	137
H5K	--	--	--	178	176	171
H6K	--	--	--	156	--	171
C5LP	138	147	144	143	--	--
C5F	--	164	164	166	171	170
C5FP	135	141	139	142	153	150
C4KM	154	158	159	161	164	167
C4GK	--	149	149	150	152	--
X4L	151	151	151	154	155	165
X5L	140	141	142	140	148	138
X4F	147	153	155	156	165	160
X5F	138	141	144	146	151	145
X4V	145	149	152	148	154	149
X4KF	--	140	140	139	145	141
X4KV	131	132	134	136	140	142
X3KM	146	151	153	154	161	163
X4KM	142	144	148	148	154	157
X4GK	132	134	141	134	143	140
X5G	128	127	130	128	137	129
P3L	131	136	--	--	--	--
P4L	121	126	127	126	127	--
P5L	104	113	115	111	--	--
P3F	132	138	140	--	--	--
P4F	120	126	127	127	124	131
P5F	106	112	108	109	114	103
P4G	113	116	116	119	122	--
P5G	96	109	91	106	92	75
N1L	96	104	97	100	100	96
N1XL	105	110	114	118	116	108
N1K	--	135	--	130	133	135
N1GL	94	99	90	101	107	85
N1GF	--	--	--	117	120	124
N1KV	--	--	117	114	131	125
N1PO	100	108	103	103	95	94
N1XO	119	112	116	117	118	118
N1BO	--	--	139	135	141	138
N2	87	90	90	90	92	92

Continue

See footnotes at end of table.

Table 14.—Average prices by weeks for representative grades and season averages—Type 13—Continued

## Type 13 - 1986 crop

Group and grade	Week ending				Season	
	Sep. 18	Sep. 25	Oct. 2	Oct. 9	1986	1985
B4F	179	179	177	175	178	195
B5F	177	173	172	170	175	189
B4K	174	171	168	162	170	185
B5K	166	163	160	157	163	181
B6K	157	154	152	148	154	175
B4KR	172	169	163	162	167	184
B5KR	161	160	157	154	159	181
B4KF	161	163	159	155	160	175
B5KF	151	153	151	145	151	173
B6KF	140	144	140	138	142	166
B5KD	141	139	136	133	149	161
B6KD	144	133	139	135	141	154
B4KV	164	160	154	--	157	174
B5KV	151	153	147	142	150	170
B6KV	141	142	135	134	138	165
B3KM	177	177	170	--	172	182
B4KM	171	169	165	158	166	180
B5KM	162	162	156	152	159	177
B6KM	155	152	145	139	149	170
B4KK	159	--	--	--	157	--
B5KK	157	145	154	--	152	--
B4GK	158	158	149	--	152	166
B5GK	146	149	141	140	145	167
B6GK	137	142	135	137	137	159
H5K	175	171	167	162	171	186
H6K	162	160	156	155	160	180
C5LP	--	--	--	--	142	155
C5F	171	169	169	--	169	190
C5FP	156	158	--	--	140	155
C4KM	171	167	167	--	163	180
C4GK	160	--	--	--	151	164
X4L	--	--	--	--	153	169
X5L	144	--	--	--	141	156
X4F	168	156	162	--	157	172
X5F	151	142	141	136	145	159
X4V	152	--	--	--	150	166
X4KF	139	144	137	135	141	159
X4KV	138	145	--	--	135	154
X3KM	159	169	--	--	154	167
X4KM	158	147	148	145	148	162
X4GK	--	144	131	--	137	153
X5G	139	--	--	--	130	148
P3L	--	--	--	--	134	146
P4L	--	--	113	--	124	136
P5L	--	--	--	--	108	127
P3F	--	--	--	--	135	147
P4F	130	127	120	112	124	137
P5F	85	99	86	71	107	128
P4G	--	--	110	--	115	132
P5G	--	--	--	--	99	125
N1L	91	78	98	81	97	123
N1XL	106	106	93	77	107	137
N1K	138	133	129	127	132	162
N1GL	95	79	86	75	95	126
N1GF	119	123	125	122	120	150
N1KV	123	132	122	123	124	157
N1PO	--	92	73	71	101	126
N1XO	110	108	92	81	113	137
N1BO	129	136	130	131	135	161
N2	89	87	96	82	89	126

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after week of October 9 due to limited sales.

Table 15.—Average prices by weeks for representative grades and season averages—Type 14 1/

Type 14 - 1986 crop

Group and grade	Week ending									Season	
	July 31	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sep. 4	Sep. 11	Sep. 18	Sep. 25	1986	1985
B4F	--	176	176	178	180	180	179	180	180	179	195
B5F	--	--	163	176	179	177	178	178	176	176	193
B4K	--	163	168	175	177	178	178	177	179	177	191
B5K	--	--	161	173	172	173	174	172	172	173	186
B6K	--	--	--	160	166	169	171	167	162	166	177
B4KR	--	--	174	177	178	177	179	173	168	176	188
B5KR	--	--	--	176	175	173	177	171	170	174	184
B4KL	--	--	156	160	169	172	168	166	--	163	174
B4KF	--	155	160	168	169	173	176	173	175	171	179
B5KF	--	--	155	158	159	167	168	170	167	166	175
B6KF	--	--	--	--	154	164	161	160	160	160	169
B4KV	--	--	--	161	163	167	169	167	--	165	176
B5KV	--	--	152	151	160	163	166	168	164	163	172
B6KV	--	--	--	--	152	161	164	158	161	159	168
B3KM	--	--	163	170	175	--	178	--	--	174	182
B4KM	--	158	166	172	173	176	176	175	177	173	184
B5KM	--	159	157	168	168	172	170	175	172	169	180
B6KM	--	--	150	--	158	170	--	--	170	162	174
B4GK	--	150	156	162	163	163	169	164	160	163	168
B5GK	--	--	146	151	156	162	164	164	161	158	165
H4K	--	--	--	--	179	178	--	180	--	179	193
H5K	--	--	--	180	176	179	180	178	174	177	191
H6K	--	--	--	--	179	177	171	171	171	173	186
C5L	--	163	161	173	172	--	--	--	--	167	186
C5LP	135	143	150	157	--	141	--	--	--	145	157
C4F	--	170	177	176	--	--	--	--	--	174	198
C5F	--	163	165	175	172	175	177	--	--	171	190
C5FP	136	143	148	--	--	--	--	--	--	144	160
C4KM	161	158	162	170	170	171	173	162	--	166	182
C4GK	--	140	148	155	158	--	--	--	--	150	165
X4L	144	148	152	162	161	160	--	--	--	154	172
X5L	134	138	145	158	--	--	--	--	--	145	161
X3F	--	163	165	171	--	174	--	--	--	167	189
X4F	146	152	156	164	164	162	172	155	--	158	176
X5F	139	140	146	159	154	151	152	154	152	148	163
X4V	144	146	149	155	--	--	--	--	--	149	170
X4KL	139	141	145	145	147	--	--	--	--	142	159
X4KF	134	138	148	145	150	--	--	--	--	144	161
X4KV	130	132	140	151	149	154	155	--	--	142	158
X3KM	149	150	159	163	164	--	--	--	--	156	170
X4KM	141	144	151	158	158	163	162	154	154	150	163
X4GK	134	136	139	145	145	164	--	--	--	140	153
X4G	133	136	139	147	150	--	--	--	--	140	155
X5G	125	131	127	143	141	148	--	--	--	132	150
P3L	136	137	146	146	--	--	--	--	--	138	147
P4L	122	127	138	136	143	--	128	--	--	127	135
P5L	108	115	127	116	--	--	--	--	--	113	124
P3F	135	139	147	--	--	--	--	--	--	139	150
P4F	122	126	135	137	141	149	133	122	135	127	139
P5F	108	109	120	125	121	138	--	78	100	111	126
P4G	114	119	126	124	124	--	--	--	127	119	132
P5G	104	108	116	115	--	126	--	--	--	109	123
N1L	102	100	110	113	118	124	135	--	100	106	122
N1XL	104	109	123	123	144	140	136	--	--	121	135
N1K	--	--	--	156	142	156	154	155	149	152	161
N1GL	98	96	110	113	115	115	120	--	--	105	123
N1KV	--	--	--	153	137	149	160	154	141	149	157
N1PO	102	111	116	109	115	--	--	--	--	108	122
N1BO	--	--	130	158	145	154	156	155	144	151	157
N2	94	90	105	107	117	122	110	128	97	106	123

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after September 25 due to limited sales.

**Table 16.—Warehouse charges by states, 1986 crop**

State	Type	Auction fee <sup>1/</sup>	Commission on gross sales <sup>1/</sup>	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less	2-1/2	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds.
Georgia	14	25 cents on all piles over 100 pounds	2-1/2	
North Carolina	11-13		2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

<sup>1/</sup> Maximum permitted under State law.

**Table 17.—Average weight per lot, 1981-86 crops**

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1981	184	184	182	187	184
1982	188	185	186	192	187
1983	181	182	182	199	184
1984	184	187	187	189	186
1985	181	184	184	189	184
1986	180	181	178	185	181

**Table 18.—Tobacco received by the Stabilization Corporation, 1983-86 crops**

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
1983	1,000 lb. 73,153	Percent 30.4	1,000 lb. 47,987	Percent 17.7	1,000 lb. 22,270	Percent 11.9
1984	71,328	26.5	55,830	19.0	23,602	13.2
1985	38,685	16.4	55,205	19.5	31,892	18.8
1986	28,376	13.8	14,504	6.1	11,029	8.3

Crop	Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
1983	1,000 lb. 19,058	Percent 16.6	1,000 lb. 162,468 1/	Percent 19.9
1984	7,841	7.6	158,601	18.8
1985	5,857	5.9	131,639	16.7
1986	1,241	1.5	55,150	8.4

<sup>1/</sup> Does not include 30.9 million pounds of 1982 carryover tobacco placed under loan.

Table 19.—Percentage distribution by groups and types, 1982–86 crops 1/

		Type 11							
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1982	--	59.2	0.8	12.6	14.1	10.7	--	2.1	0.5
1983	--	56.0	0.3	9.9	16.9	12.1	--	4.3	0.5
1984	--	53.4	1.8	16.9	15.9	9.6	--	2.0	0.4
1985	--	56.2	4.7	8.4	15.6	10.8	--	3.6	0.7
1986	--	61.1	2.4	2.8	13.4	10.7	--	8.7	0.9

Type 12									
1982	--	55.8	0.5	18.6	15.5	7.1	--	2.1	0.4
1983	--	57.5	0.2	13.9	16.3	8.5	--	3.4	0.2
1984	--	59.2	0.4	12.8	18.9	6.8	--	1.7	0.2
1985	--	57.9	1.0	9.6	16.6	9.9	--	4.6	0.4
1986	--	61.7	0.6	6.4	14.4	9.1	--	7.2	0.6

Type 13									
1982	--	55.7	0.5	11.8	17.1	9.5	--	4.2	1.2
1983	--	57.9	0.6	12.0	16.9	9.3	--	2.9	0.4
1984	--	60.6	0.6	9.7	17.9	9.3	--	1.5	0.4
1985	--	55.9	1.6	11.2	17.1	10.6	0.1	3.0	0.5
1986	--	53.7	1.5	4.3	13.9	10.7	--	13.1	2.8

Type 14									
1982	--	57.6	1.5	6.2	15.4	11.5	--	4.8	3.0
1983	--	56.7	0.8	6.2	16.5	12.9	--	5.8	1.1
1984	--	53.4	2.5	9.2	15.8	12.7	0.1	5.1	1.2
1985	--	56.9	2.3	4.5	15.7	11.1	--	8.2	1.3
1986	--	56.8	1.8	5.2	14.5	12.4	--	8.3	1.0

1/ Dashes indicate a percentage of less than 0.1.

Table 20.—Percentage distribution by qualities and types, 1982–86 crops 1/

Type 11								
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1982	--	0.5	17.0	59.3	19.6	1.0	2.1	0.5
1983	--	0.5	13.8	50.9	25.6	4.4	4.3	0.5
1984	--	0.3	21.5	57.4	17.8	0.6	2.0	0.4
1985	--	0.2	10.6	55.0	27.3	2.6	3.6	0.7
1986	--	0.1	5.0	42.4	35.9	7.0	8.7	0.9

Type 12								
1982	--	0.2	16.0	60.3	20.1	0.9	2.1	0.4
1983	--	0.5	15.3	55.1	22.1	3.4	3.4	0.2
1984	--	0.5	19.4	61.3	15.9	1.0	1.7	0.2
1985	--	--	7.3	55.5	28.7	3.5	4.6	0.4
1986	--	0.1	4.7	42.2	38.6	6.6	7.2	0.6

Type 13								
1982	--	0.6	12.0	58.0	22.2	1.8	4.2	1.2
1983	--	0.1	11.7	58.7	23.4	2.8	2.9	0.4
1984	--	0.2	15.6	62.1	18.8	1.4	1.5	0.4
1985	--	0.1	8.8	58.4	26.6	2.6	3.0	0.5
1986	--	--	2.6	37.6	35.4	8.6	13.1	2.8

Type 14								
1982	--	0.2	9.4	49.2	28.2	5.2	4.8	3.0
1983	--	0.2	8.8	50.0	29.0	5.1	5.8	1.1
1984	--	0.3	9.3	51.5	29.5	3.1	5.1	1.2
1985	--	--	4.0	45.6	34.4	6.5	8.2	1.3
1986	--	0.1	4.1	45.7	34.7	6.1	8.3	1.0

1/ Dashes indicate a percentage of less than 0.1.

**Table 21.—Percentage distribution by colors and types, 1982–86 crops 1/**

Type 11											
Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
1982	9.9	25.1	0.4	18.6	--	3.1	--	37.2	3.1	2.1	0.5
1983	7.3	19.9	--	9.8	0.2	3.5	--	44.2	10.3	4.3	0.5
1984	8.0	25.0	0.1	21.7	0.7	1.4	--	38.7	2.0	2.0	0.4
1985	3.7	21.5	0.1	38.7	0.8	0.7	--	27.1	3.1	3.6	0.7
1986 3/	2.8	18.1	0.2	29.8	0.2	0.3	4.5	30.6	3.9	8.7	0.9
Type 12											
Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
1982	12.5	17.3	0.4	12.5	--	3.0	--	48.6	3.2	2.1	0.4
1983	8.8	14.4	0.1	11.6	0.2	2.7	--	52.9	5.7	3.4	0.2
1984	6.9	12.3	0.1	17.0	0.4	0.9	--	57.6	2.9	1.7	0.2
1985	2.8	11.8	0.1	28.9	1.3	0.4	--	45.0	4.7	4.6	0.4
1986 3/	2.8	11.4	0.2	26.7	1.5	0.4	5.4	39.1	4.7	7.2	0.6
Type 13											
Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
1982	9.2	16.3	0.1	10.3	--	4.1	--	49.1	5.5	4.2	1.2
1983	6.7	16.2	0.1	14.8	0.6	5.2	--	44.6	8.5	2.9	0.4
1984	4.8	15.1	0.1	21.6	0.5	2.4	--	49.6	4.0	1.5	0.4
1985	5.3	16.8	0.1	31.7	1.3	1.6	--	34.6	5.1	3.0	0.5
1986 3/	3.0	12.2	0.1	21.6	1.2	0.8	7.2	29.2	8.8	13.1	2.8
Type 14											
Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
1982	7.4	18.4	--	14.5	--	2.5	--	42.1	7.3	4.8	3.0
1983	7.9	16.9	--	17.2	0.1	3.5	--	41.2	6.3	5.8	1.1
1984	8.7	19.3	--	23.7	0.4	2.4	--	34.4	4.8	5.1	1.2
1985	3.4	15.6	0.1	27.5	0.3	0.4	--	36.7	6.5	8.2	1.3
1986 3/	5.0	17.4	--	30.2	0.8	0.9	3.2	26.4	6.8	8.3	1.0

1/ Dashes indicate a percentage of less than 0.1.

2/ Includes KL,KF,KD,KM,KV and S colors for 1982–85 also includes KL,KF,KD,KK,KM and S colors for 1986.

3/ Grade changes occurred in 1986. KK color was added and maturity on LL changed from ripe to unripe.

**Table 22.—Percentage distribution by groups, qualities, and colors for types 11–14, 1982–86 crops 1/**

Group									
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1982	--	56.9	0.8	13.7	15.4	9.3	--	2.9	1.0
1983	--	57.1	0.4	11.2	16.6	10.4	--	3.9	0.4
1984	--	56.9	1.2	13.0	17.3	9.0	--	2.2	0.4
1985	--	56.8	2.3	9.0	16.3	10.5	--	4.5	0.6
1986	--	59.3	1.5	4.7	14.0	10.3	--	9.0	1.2
Quality									
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.	
1982	--	0.4	14.5	58.0	21.5	1.7	2.9	1.0	
1983	--	0.4	13.1	53.9	24.5	3.8	3.9	0.4	
1984	--	0.4	18.0	59.0	18.8	1.2	2.2	0.4	
1985	--	0.1	8.1	54.7	28.6	3.4	4.5	0.6	
1986	--	0.1	4.3	41.7	36.6	7.1	9.0	1.2	
Color									
Crop year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK
1982	10.4	19.5	0.2	14.0	--	3.2	--	44.6	4.2
1983	7.8	16.8	0.1	12.6	0.3	3.6	--	46.7	7.8
1984	6.9	17.8	0.1	20.3	0.5	1.6	--	47.1	3.1
1985	3.7	16.3	0.1	32.1	1.0	0.7	--	36.5	4.5
1986 3/	3.1	14.4	0.1	27.1	1.0	0.5	5.2	32.8	5.6

1/ Dashes indicate a percentage of less than 0.1.

2/ Includes KL,KF,KD,KM,KV and S colors for 1982–1985 also includes KL,KF,KD,KK,KM and S colors for 1986.

3/ Grade changes occurred in 1986. KK color was added and maturity on LL changed from ripe to unripe.

Table 23.—Percentage distribution by grades and types, 1986 crop 1/

Group and grade	1986 crop				Group and grade	1986 crop			
	11	12	13	14		11	12	13	14
Wrappers:					Smoking leaf:				
A1L	--	--	--	--	H3F	.013	--	--	.032
A1F	--	--	--	--	H4F	.091	.041	.047	.134
Total A	--	--	--	--	H5F	.122	.043	.115	.139
Leaf:					H6F	.001	.006	.014	.012
B1L	--	--	--	--	H4FR	.008	--	.011	.004
B2L	.002	--	--	--	H5FR	.039	--	.006	--
B3L	.015	.001	--	.001	H6FR	.007	--	.004	--
B4L	.040	.025	.018	.360	H4K	.350	.054	.216	.273
B5L	.025	.033	.022	.065	H5K	1.318	.258	.748	.838
B6L	--	--	--	--	H6K	.467	.198	.295	.349
B1F	--	--	--	--	Total H	2.416	.600	1.456	1.781
B2F	.032	.009	.001	--	Cutters:				
B3F	.181	.068	.036	.001	C1L	--	--	--	--
B4F	1.712	.299	.532	1.513	C2L	--	--	--	--
B5F	1.319	.361	.714	2.767	C3L	.001	.005	--	--
B6F	.015	--	.018	.255	C4L	.035	.027	.022	.057
B1FR	--	--	--	--	C5L	.181	.254	.125	.302
B2FR	--	--	--	--	C4LL	.001	.012	.028	.004
B3FR	--	--	--	--	C5LL	.006	.008	.001	.003
B4FR	.005	.015	.005	.001	C5LP	.137	.744	.293	.504
B5FR	.075	.052	.079	.008	C1F	--	--	--	--
B6FR	.011	.001	--	--	C2F	--	--	--	--
B5R	.012	--	--	.003	C3F	.006	--	--	--
B3K	.610	.248	.118	.081	C4F	.142	.123	.038	.173
B4K	9.079	6.231	6.034	8.803	C5F	.954	.736	.513	.958
B5K	10.550	13.010	9.821	13.735	C5FP	.069	.800	.932	.266
B6K	2.838	3.139	2.920	3.559	C4KR	.134	.116	.074	.128
B3KR	.234	.104	.045	.044	C4V	.012	.028	.085	.075
B4KR	2.334	1.554	.783	1.545	C4S	.018	.110	.118	.087
B5KR	1.559	1.640	.477	.806	C4KL	.094	.166	.056	.114
B3V	.009	.001	.039	--	C4KF	.211	.169	.174	.054
B4V	.066	.044	.161	.104	C4KM	.735	2.689	1.432	2.176
B5V	.064	.021	.063	.131	C4KK	.009	.192	.037	.008
B3S	.009	.024	.019	--	C4G	.002	.014	.032	.057
B4S	.004	.020	.027	.013	C4GK	.077	.175	.364	.223
B5S	.005	--	--	.038	Total C	2.824	6.368	4.324	5.189
B3KL	.044	.041	.014	.013	Lugs:				
B4KL	.225	.471	.158	.478	X1L	--	--	--	--
B5KL	.122	.210	.083	.118	X2L	.001	--	.001	--
B6KL	.013	.019	.018	.006	X3L	.128	.109	.123	.136
B3KF	.216	.175	.065	.039	X4L	.354	.439	.402	.637
B4KF	3.532	3.598	2.400	2.183	X5L	.190	.195	.320	.283
B5KF	6.088	6.006	5.499	2.170	X3LL	.001	.016	.015	--
B6KF	1.277	1.248	2.119	.612	X4LL	.001	.045	.032	.015
B3KD	.610	.158	.016	--	X1F	.002	--	.001	--
B4KD	2.579	1.080	.522	.016	X2F	.004	.020	.001	.015
B5KD	1.940	.797	1.015	.282	X3F	.504	.230	.148	.353
B6KD	.789	.272	.361	.055	X4F	2.990	1.770	1.456	1.911
B4KV	.633	.517	.776	.471	X5F	2.566	1.722	2.036	1.745
B5KV	1.793	2.422	3.007	1.430	X3KR	.057	.052	.006	.032
B6KV	1.041	.990	1.529	.804	X4KR	.271	.115	.062	.054
B3KM	.872	.959	.271	.661	X3V	.019	.120	.149	.085
B4KM	4.242	7.268	4.964	7.257	X4V	.131	.167	.430	.456
B5KM	2.361	5.347	3.417	3.509	X3S	.019	.048	.022	.125
B6KM	.200	.483	.430	.197	X4S	.012	.053	.078	.026
B3KK	.009	.012	.002	--	X4KL	.147	.204	.081	.451
B4KK	.071	.486	.677	.080	X4KF	1.173	.431	.595	.522
B5KK	.087	.305	.343	.067	X4KV	.986	1.383	1.783	.508
B6KK	.012	.018	.025	.009	X3KM	.523	1.598	.611	1.251
B4G	.006	.015	.041	.066	X4KM	2.324	4.449	3.479	3.775
B5G	.011	.027	.084	.060	X4GK	.502	.978	1.157	1.183
B6G	.002	.001	.013	.001	X4G	.083	.147	.277	.445
B5GR	.006	--	.004	.006	X5G	.339	.109	.653	.475
B4GK	.383	.537	.929	1.072					
B5GK	.721	1.057	2.125	1.168					
B6GK	.356	.275	.916	.209					
B5GG	.028	.012	.009	.007					
Total B	61.074	61.706	53.764	56.879	Total X	13.327	14.400	13.918	14.483

Continued

See footnotes at end of table.

Table 23.—Percentage distribution by grades and types, 1986 crop—Continued

Group and grade	1986 crop				Group and grade	1986 crop			
	11	12	13	14		11	12	13	14
<b>Primings:</b>									
P2L	.017	.006	.016	.031	Nondescript:				
P2L sand	--	--	--	--	N1L	.866	.651	.963	1.080
P3L	.344	.302	.388	.518	N1L sand	.036	--	.001	.013
P3L sand	.007	--	.001	.006	N1XL	1.387	.580	.820	.366
P4L	1.101	1.100	1.303	1.933	N1K	.970	.786	1.055	1.356
P4L sand	.064	.015	.002	.069	N1R	.086	.029	.085	.007
P5L	.313	.288	.259	.558	N1GL	.897	.801	1.771	.981
P5L sand	.021	--	--	.015	N1GL sand	.011	.002	.003	--
P2F	.008	.002	.018	.046	N1GF	.157	.176	.548	.102
P2F sand	--	--	--	--	N1KV	.733	.492	1.073	.586
P3F	.489	.385	.514	.714	N1GR	.074	.018	.153	.017
P3F sand	.016	.005	.005	.011	N1GG	.005	.003	.012	--
P4F	4.332	3.879	4.193	4.794	N1PO	.279	.603	.845	.486
P4F sand	.259	.058	.031	.064	N1PO sand	.002	--	.001	.065
P5F	2.188	1.606	1.721	1.724	N1XO	.221	.379	.658	.190
P5F sand	.165	.008	.014	.023	N1BO	.392	1.136	1.041	1.204
P4G	.765	.864	1.426	1.307	N2	2.574	1.506	4.024	1.881
P4G sand	.046	.004	.012	.016	Total N	8.690	7.162	13.053	8.334
P5G	.524	.525	.788	.526	No-grade 2/	.691	.535	2.526	.734
P5G sand	.043	.003	.003	.003	No-G-F sand	.041	.001	--	.018
<b>Total P</b>	<b>10.702</b>	<b>9.050</b>	<b>10.694</b>	<b>12.358</b>	W - unsafe	.017	.007	--	--
<b>Mixed:</b>									
M4F	--	--	.001	--	U - unsound	.178	.149	.202	.220
M5F	--	.001	.007	--	S - scrap	.001	.001	.002	--
M4KR	--	--	--	--					
M4KM	.014	.008	.018	--					
M5KM	.018	.007	.021	.004					
M4GK	--	.002	.006	--					
M5GK	.007	.003	.008	--					
<b>Total M</b>	<b>.039</b>	<b>.021</b>	<b>.061</b>	<b>.004</b>	<b>Grand total</b>	<b>100.000</b>	<b>100.000</b>	<b>100.000</b>	<b>100.000</b>

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes grades No-G and No-G-F.

Table 24.—Percentage breakdown of marketings by selected groupings, 1986 and 1985 crops

Grouping					Types					
	1986	1985	1986	1985	1986	1985	1986	1985	1986	1985
Premature to mellow	51.4	65.5	43.0	45.3	38.9	56.8	54.3	47.3	46.2	53.9
Unripe	35.1	27.1	44.5	45.0	36.4	34.6	29.6	36.7	38.0	36.5
Immature	3.9	3.1	4.7	4.7	8.8	5.1	6.8	6.5	5.6	4.5
Nondescript	8.7	3.6	7.2	4.6	13.1	3.0	8.3	8.2	9.0	4.5
No-grade 1/	0.9	0.7	0.6	0.4	2.8	0.5	1.0	1.3	1.2	0.6
<b>Total:</b>	<b>100.0</b>									

1/ Includes tobacco defined as decayed, blotched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

Table 25.—Percentage distribution by grades for all types, 1984-86 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1984	1985	1986		1984	1985	1986
Wrappers:				B5KM	1.910	3.315	3.786
A1L	--	--	--	B6KM	.074	.249	.347
A1F	--	--	--	Total BKM	16.884	13.495	10.743
Total A	--	--	--	B3KK	--	--	.007
Leaf:				B4KK	--	--	.343
B1L	0.002	--	--	B5KK	--	--	.214
B2L	.005	.001	.001	B6KK	--	--	.016
B3L	.023	.013	.005	Total BKK	--	--	.580
B4L	.162	.038	.071	B4G	.077	.043	.024
B5L	.093	.040	.032	B5G	.032	.026	.038
B6L	.003	--	--	B6G	.004	.005	.004
Total BL	0.288	.092	.109	Total BG	.113	.074	.066
B1F	.005	.001	--	B5GR	.003	.003	.004
B2F	.017	.010	.013	B4GK	.735	.553	.637
B3F	.213	.171	.088	B5GK	.453	.590	1.182
B4F	2.081	1.143	.945	B6GK	.058	.167	.421
B5F	1.693	1.410	1.043	Total BGK	1.246	1.310	2.240
B6F	.018	.049	.042	B5GG	.065	.021	.016
Total BF	4.027	2.784	2.131	Total B	56.925	56.840	59.278
B1FR	.001	--	--	Smoking leaf:			
B2FR	--	.002	--	H3F	.003	.001	.008
B3FR	.005	.002	--	H4F	.131	.059	.070
B4FR	.015	.036	.008	H5F	.163	.144	.095
B5FR	.019	.025	.059	H6F	.003	.005	.007
B6FR	.002	--	.004	Total HF	.300	.209	.180
Total BFR	.042	.065	.071	H4FR	.004	.004	.005
B5R	.001	.017	.004	H5FR	.017	.010	.013
B3K	.858	.675	.313	H6FR	.005	.007	.003
B4K	7.991	11.050	7.414	Total HFR	.026	.021	.021
B5K	4.516	10.020	11.692	H4K	.284	.527	.207
B6K	.607	1.790	3.055	H5K	.433	1.233	.763
Total BK	13.972	23.535	22.474	H6K	.098	.348	.321
B3KR	.740	.472	.125	Total HK	.815	2.108	1.291
B4KR	3.306	3.748	1.641	Total H	1.141	2.338	1.492
B5KR	.603	1.409	1.272	Cutters:			
Total BKR	4.649	5.629	3.038	C1L	--	--	--
B3V	.119	.013	.011	C2L	--	.001	--
B4V	.292	.132	.082	C3L	.007	.001	.002
B5V	.051	.031	.057	C4L	.173	.060	.032
Total BV	.462	.176	.150	C5L	.937	.313	.211
B3S	.337	.037	.015	Total CL	1.117	.375	.245
B4S	.166	.059	.016	C4LL	.029	.004	.011
B5S	.005	.001	.006	C5LL	--	--	.005
Total BS	.508	.097	.037	Total CLL	.029	.004	.016
B3KL	.872	.091	.033	C5LP	.329	.410	.432
B4KL	1.819	.647	.332	C1F	--	--	--
B5KL	.295	.180	.145	C2F	.001	--	--
B6KL	.018	.015	.015	C3F	.014	.009	.002
Total BKL	3.004	.933	.525	C4F	.488	.212	.118
B3KF	1.883	.240	.148	C5F	2.180	1.268	.788
B4KF	6.675	3.256	3.152	Total CF	2.683	1.489	.908
B5KF	2.049	2.859	5.432	C5FP	.170	.599	.529
B6KF	.197	.471	1.350	C4KR	.502	.460	.114
Total BKF	10.804	6.826	10.082	C4V	.261	.090	.041
B3KD	.001	.002	.250	C4S	.876	.472	.080
B4KD	.032	.087	1.298	C4KL	1.026	.451	.115
B5KD	.058	.118	1.131	C4KF	.492	.474	.168
B6KD	.010	.031	.423	C3KM	.465	.182	--
Total BKD	.101	.238	3.102	C4KM	4.732	3.633	1.758
B4KV	.260	.389	.600	Total CKM	5.197	3.815	1.758
B5KV	.380	.875	2.215	C4KK	--	--	.080
B6KV	.116	.281	1.091	C4G	.061	.042	.019
Total BKV	.756	1.545	3.906	C4GK	.240	.288	.189
B3KM	4.437	1.328	.754	Total C	12.983	8.969	4.694
B4KM	10.463	8.603	5.856	Lugs:			
			X1L	.004	.001	--	

Continued

Table 25.—Percentage distribution by grades for all types, 1984-86 crops—continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1984	1985	1986		1984	1985	1986
X2L	0.020	0.003	0.001	P3F	1.476	1.310	0.486
X3L	.728	.211	.121	P3F sand	.035	.003	.009
X4L	1.308	.595	.434	P4F	2.917	4.310	4.202
X5L	.281	.212	.230	P4F sand	.070	.059	.116
Total XL	2.341	1.022	.786	P5F	.599	1.137	1.826
X3LL	--	--	.009	P5F sand	.013	.014	.060
X4LL	.018	.013	.025	Total PF	5.189	6.861	6.712
Total XLL	.018	.013	.034	P4G	.416	1.015	1.004
X1F	.002	.002	.001	P4G sand	.010	.019	.020
X2F	.026	.011	.010	P5G	.118	.359	.578
X3F	1.240	.552	.315	P5G sand	.002	.008	.016
X4F	3.238	2.787	2.106	Total PG	.546	1.401	1.618
X5F	1.043	1.551	2.052	Total P	8.976	10.476	10.327
Total XF	5.549	4.903	4.484	Mixed:			
X3KR	.187	.102	.042	M4F	--	.004	--
X4KR	.217	.287	.145	M5F	.001	.002	.002
Total XKR	.404	.389	.187	Total MF	.001	.006	.002
X3V	.321	.149	.090	M4KR	--	.001	--
X4V	.515	.322	.246	M4KM	.013	.018	.011
Total XV	.836	.471	.336	M5KM	.015	.019	.013
X3S	.518	.214	.044	Total MKM	.028	.037	.024
X4S	.126	.142	.042	M4GK	.004	.003	.002
Total XS	.644	.356	.086	M5GK	.007	.001	.005
X4KL	.669	.469	.193	Total MGK	.011	.004	.007
X4KF	.372	.662	.707	Total M	.040	.048	.033
X4KV	.214	.614	1.227	Nondescript:			
X3KM	2.088	1.637	1.018	N1L	.214	.371	.837
X4KM	3.422	4.354	3.502	N1L sand	.002	.002	.013
Total XKM	5.510	5.991	4.520	N1XL	.179	.398	.853
X4GK	.520	1.013	.892	N1K	.172	.496	.972
X4G	.174	.217	.192	N1R	.007	.022	.055
X5G	.092	.173	.338	N1GL	.127	.428	1.050
Total XG	.266	.390	.530	N1GL sand	.002	--	.005
Total X	17.343	16.293	13.982	N1GF	.029	.065	.236
Primings:				N1KV	.056	.158	.697
P2L	.185	.036	.015	N1GR	.022	.013	.062
P2L sand	.004	--	--	N1GG	.007	.001	.005
P3L	1.431	.720	.361	N1PO	.391	.526	.535
P3L sand	.021	.002	.003	N1PO sand	.002	.005	.009
P4L	1.354	1.214	1.249	N1XO	.260	.445	.361
P4L sand	.050	.011	.035	N1BO	.246	.542	.893
P5L	.189	.228	.325	N2	.465	.985	2.397
P5L sand	.007	.003	.009	Total N	2.181	4.457	8.980
Total PL	3.241	2.214	1.997	No-grade 2/	.411	.579	1.214
P2F	.078	.028	.013	Grand total	100.000	100.000	100.000
P2F sand	.001	--	--				

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.001 percent in 1986.

Table 26.—Average price by grade groups and types

Type	1986 crop							1985 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	161	169	167	150	115	144	98	184	192	180	168	137	158	131
12	165	174	159	149	123	147	122	179	188	176	163	136	162	132
13	158	170	155	145	119	138	105	181	186	177	164	138	167	137
14	171	177	163	149	124	158	123	182	191	181	165	135	160	137
11-14	163	171	161	149	119	143	109	181	190	178	165	137	162	134